



Load Support Application Guide 2026

Corporate Fleet Program

TABLE OF CONTENTS



Popular Applications	3
Why Air Springs?	6
Why Air Lift?	7
Adjustable Load Support Product Overview	8
Adjustable Load Support Applications	10
Load Support Front Kits	36
SlamAir Applications Load support for lowered vehicles	37
Drag Bags Applications Air suspension for drag racing	37
Motorhome/RV/Step Van Applications	38
Air Lift 1000 Universal Air Spring Kits	38
Towtal View HD Camera with Versatile Mounts	39
Towtal View LaneGuard and LaneGuard Pro Blindspot Detection Systems	40
On-Board Air Compressor Systems	41
Universal Air Spring Spacers and Cradles for Lifted Vehicles	41
Digital Portable Compressor	42
7-Way Power Adapter	42
Battery Clamp Adapter	42
3 in 1 Air Down Gauge	42
Compressor System Parts	43
Service Parts	44
Stainless Steel Upgrade Kits	44
Replacement Air Springs	45
Frequently Asked Questions	46



POPULAR FLEET VEHICLE APPLICATIONS

Year	Make/Model	Drive	Air Lift 1000™ Front Kits	LoadLifter 5000™	LoadLifter 5000™ Ultimate	LoadLifter 7500 XL Ultimate™	Air Lift® ProSeries™
CHEVROLET/GMC							
2016-2025	Silverado/Sierra 3500 HD Commercial Chassis	4WD				57543	
2001-2010	Chevy/GMC 3500 Commercial Chassis			57286	88286		
2011-2015	Chevy/GMC 3500 Commercial Chassis	2 & 4			88339		
1998-2015	Chevy G-3500 Commercial Chassis			57245	88245		
FORD							
1975-2026	E-100/E-250/E-350	2WD	80537				
2015-2026	E-350 Commercial Chassis	2WD			88138		
1996-2026	E-450, E-Super Duty Commercial Chassis	2WD	80545	57242	88242		
2017-2019	F-250/F-350 SRW & DRW	4WD	80537				
2020-2026	F-250/F-350 SRW & DRW	4WD	80539				
2017-2026	F-350 Commercial Chassis	2 & 4		57343			93343
2017-2026	F-450	4WD	80537				
2005-2026	F-450/F-550 Commercial Chassis	2 & 4	80539	57345			
2015-2026	Transit 150/250/350	2WD		57213	88213		
MERCEDES							
2019-2026	Sprinter 2500, 170" Wheelbase	2WD		57801			
2019-2026	Sprinter 2500, 170" Wheelbase	4WD		57802			
2019-2026	Sprinter 2500, 144" Wheelbase	2WD		57811			
2019-2026	Sprinter 2500, 144" Wheelbase	4WD		57812			
RAM							
2014-2026	RAM 2500 3/4 Ton Pickup	4WD	80532				
2019-2026	RAM 3500 1 Ton Pickup	4WD	80532				
2019-2026	RAM 3500 Commercial Chassis DRW	2 & 4		57263			93263
2007-2026	RAM 4500/5500 Commercial Chassis	2 & 4			88255		
2014-2022	RAM ProMaster City		60852 (rear)				
2013-2026	RAM ProMaster 1500/2500/3500	2WD		57233	88233		



POPULAR APPLICATIONS – LOADLIFTER 5000, 5000 ULTIMATE & 7500 XL ULTIMATE

Year	Model	LoadLifter 5000™	LoadLifter 5000™ Ultimate	LoadLifter 7500 XL Ultimate™
CHEVROLET/GMC				
2019-2026	Silverado/Sierra 1500 2WD & 4WD	57288	88288	
2019-2026	Silverado/Sierra 1500 Trail Boss & ZR2/AT4 & AT4X 2WD &4WD	57388	88388	
2019	Silverado 1500 Legacy/Sierra 1500 Limited	57204	88204	
2007-2019	Silverado/Sierra 1500 2WD & 4WD Short & Standard Bed	57204	88204	
2007-2018	Silverado/Sierra 1500 2WD & 4WD Long Bed	57211	88211	
2011-2019	Silverado/Sierra 2500HD & 3500HD	57338	88338	57538
2020-2026	Silverado/Sierra 2500HD (Silverado - No fit for ZR2/Sierra - No fit for AT4)	57341	88341	57541
2024-2026	Silverado/Sierra 2500HD ZR2/AT4X 4WD		88408	
2020-2026	Silverado/Sierra 3500HD	57341	88341	57541
1996-2026	Chevy Express G-2500 Heavy-duty	57205	88205	
1996-2026	Chevy Express G-3500 Passenger Van Only	57205	88205	
1996-2026	GMC Savana G-2500 & G-3500	57205	88205	
2011-2015	Chevy/GMC C/K 3500 Commercial Chassis		88339	
RAM/JEEP				
2019-2026	RAM 1500 2WD & 4WD (New body style)	57375	88375	
2011-2024	RAM 1500 2WD & 4WD (Old body style)	57365	88365	
2014-2026	RAM 2500 2WD & 4WD	57289	88289	57589
2011-2018	RAM 3500 4WD	57295	88295	57595
2019-2026	RAM 3500 2WD & 4WD	57231	88231	57531
2013-2026	RAM Promaster 1500, 2500, 3500 2WD	57233	88233	
2020-2026	Jeep Gladiator 4WD	57415		
FORD				
2019-2023	Ranger 2WD & 4WD	57234	88234	
2010-2014	F-150 2WD	57228	88228	
2010-2014	F-150 4WD	57200	88200	
2015-2020	F-150 2WD	57268	88268	
2015-2020	F-150 4WD	57385	88385	
2021-2026	F-150 2WD & 4WD (No fit for PowerBoost models)	57355	88355	
2021-2026	F-150 PowerBoost 4WD	57389	88389	
2011-2016	F-250 2WD	57395	88395	
2011-2016	F-250 4WD	57396	88396	57596
2011-2016	F-350 2WD	57395	88395	
2011-2016	F-350 4WD	57396	88396	57596
2017-2026	F-250 & F-350 2WD	57391	88391	
2017-2019	F-250 & F-350 4WD	57399	88399	57577
2020-2022	F-250 & F-350 SRW 4WD	57352	88352	57552
2023-2026	F-250 & F-350 SRW 4WD	57354	88354	57554
2020-2026	F-350 DRW 4WD	57380	88380	
2020-2026	F-350 DRW 4WD			57580
2015-2016	F-450 Pickup Non-Commercial Chassis		88349	
2017-2022	F-450 Pickup Non-Commercial Chassis 4WD	57399	88399	57577
2017-2026	F-450 Pickup Non-Commercial Chassis 4WD	57399	88399	
2023-2026	F-450 Pickup Non-Commercial Chassis 4WD			57579
2005-2026	F-450 & F-550 Commercial Chassis 2WD & 4WD	57345		
2015-2026	Transit 150, 250, 350	57213	88213	
NISSAN				
2022-2026	Frontier 4WD	57244		
2017-2024	Titan	57331	88331	
2016-2023	Titan XD	57229	88229	
TOYOTA				
2024-2026	Tacoma 4WD	57386		
2005-2023	Tacoma 2WD & 4WD	57300		
2007-2021	Tundra 2WD & 4WD		88299	
2022-2026	Tundra 2WD & 4WD (No fit for factory air or 5th wheel hitches)	57383	88383	



POPULAR APPLICATIONS – PROSERIES & PROSERIES XL

Year	Model	Air Lift ProSeries Up to 5,000 lb. Load-Leveling Capacity	Air Lift ProSeries XL Up to 7,500 lb. Load-Leveling Capacity
CHEVROLET/GMC			
2019-2026	Silverado/Sierra 1500 2WD & 4WD	77288/93288	
2019-2026	Silverado/Sierra 1500 Trail Boss & ZR2/AT4 & AT4X 2WD &4WD	77388/93388	
2019	Silverado 1500 Legacy/Sierra 1500 Limited	77204/93204	
2007-2019	Silverado/Sierra 1500 2WD & 4WD Short & Standard Bed	77204	
2011-2019	Silverado/Sierra 2500HD & 3500HD	77338/93338	99538
2020-2026	Silverado/Sierra 2500HD (Silverado - No fit for ZR2/Sierra - No fit for AT4)	77341/93341	99541
2020-2026	Silverado/Sierra 3500HD	77341/93341	99541
RAM			
2019-2026	RAM 1500 2WD & 4WD (New body style)	77375/93375	
2011-2024	RAM 1500 2WD & 4WD (Old body style)	77365/93365	
2014-2026	RAM 2500 2WD & 4WD	77289/93289	99589
2011-2018	RAM 3500 4WD	77295/93295	99595
2019-2026	RAM 3500 2WD & 4WD	93231	
2019-2026	RAM 3500 2WD SRW, 4WD SRW & DRW		99531
FORD			
2010-2014	F-150 4WD	77200	
2015-2020	F-150 4WD	77385/93285	
2021-2026	F-150 2WD & 4WD (Does not fit PowerBoost models)	77355/93355	
2011-2016	F-250 4WD	77396/93396	99596
2011-2016	F-350 4WD	77396/93396	99596
2017-2026	F-250 & F-350 2WD	93391	
2017-2019	F-250 & F-350 4WD	77399/93399	99577
2020-2022	F-250 & F-350 SRW 4WD	77352/93352	99552
2023-2026	F-250 & F-350 SRW 4WD	77354/93354	99554
2020-2026	F-350 DRW 4WD	93380	
2020-2026	F-350 DRW 4WD		99580
2015-2016	F-450 Pickup Non-Commercial Chassis		
2017-2022	F-450 Pickup Non-Commercial Chassis 4WD	77399/93399	99577
2017-2026	F-450 Pickup Non-Commercial Chassis 4WD	77399/93399	
2023-2026	F-450 Pickup Non-Commercial Chassis 4WD		99579
TOYOTA			
2005-2023	Tacoma 2WD & 4WD	77300	
2022-2026	Tundra 2WD & 4WD (No fit for factory air or 5th wheel hitches)	77383	



Why Air Springs?

Tow and Haul with Safety and Comfort with Air Lift Adjustable Air Spring Kits

- Air springs ensure that weight is properly distributed to all four tires, which maximizes vehicle stability, safety and comfort (see graphics below)
- Add air when towing or hauling; deflate when riding empty for a softer ride
- Made with rugged, durable components
- Easy and quick to install with common hand tools
- No. 1 choice of professional drivers


WITHOUT AIR LIFT AIR SPRINGS...

The vehicle squats, and the possibility of body roll and bottoming out increases.

WITH AIR LIFT AIR SPRINGS...

Ideal ride height is restored, providing greater safety and comfort.

Air Lift air spring kits solve these common problems



Squat
Proper weight distribution to all tires improves steering, braking and tire wear. This is especially important while towing; adjust the air springs to accept the tongue weight of the trailer.



Headlight Aim
Only level and stable vehicles provide safe and proper headlight aiming — critical for night driving safety.




Braking and Steering
Front tires account for the majority of braking and steering. Air springs ensure that weight is properly distributed to all four tires for optimal braking and steering.

Bottoming Out
Air Lift springs restore normal ride height when loaded or towing, reducing suspension wear and eliminating crashing on bumps.



Rough Ride
Air Lift's progressive spring rate soaks up bumps, keeping tires on the road for better handling.



Body Roll
Air springs increase spring rate and vastly improve vehicle stability. Less roll means a safer and more comfortable ride.



Trailer Sway
When towing a trailer, air springs permit precise vehicle height adjustment for exact alignment, reducing trailer sway.



Why Air Lift?

Load Support Products That Fit, Work and Last. Guaranteed.

- A 3rd generation, family-owned Lansing, Michigan, suspension-specialty company since 1949
- Our in-house customer service department is available to answer your questions Monday through Friday, 8am-5pm (EST)
- The most comprehensive warranty plus an exclusive 60-day no-questions-asked, money-back guarantee
- Over 450 vehicle fitments
- Don't run around town trying to find a working air pump... Air Lift has the most innovative, easy-to-use on-board air compressor systems available



INDUSTRY EXCLUSIVE!

Air Lift's Lifetime Warranty Covers the Entire Contents of the Air Spring Kit

While other companies offer a lifetime warranty on their air springs, only Air Lift covers the air springs as well as the entire contents of the kit, including brackets, fittings and air line. Air Lift Company warrants that Air Lift 1000, Air Lift 1000 HD, RideControl, LoadLifter 5000, LoadLifter 5000 Ultimate, LoadLifter 7500 XL Ultimate, ProSeries and ProSeries XL air spring systems will be free from manufacturer's defects in workmanship or materials for as long as the original purchaser owns the original vehicle of installation. This does not include installation or other service charges for replacement. Purchase receipts are required for all warranty claims. Go to www.airliftcompany.com/warranty/ for official warranty program details.

INDUSTRY EXCLUSIVE!

Air Lift Guarantees Your Satisfaction or Your Money Back!



Air Lift offers a 60-Day No Questions Asked, Money-Back Guarantee on load support air springs and all load support on-board air compressor systems. Ride on Air Lift's air springs kit and/or use an Air Lift on-board air compressor system for 60 days. We guarantee you'll be happy with the improvement in ride comfort, load handling and air spring control, or get your money back. If you're not satisfied, you may remove the products and return them to your dealer for a full refund of your purchase price within the first 60 days after purchase.

Refund must be made by the selling agent. Offer is limited to purchasing a set of Air Lift 1000, Air Lift 1000 HD, RideControl, LoadLifter 5000, LoadLifter 5000 Ultimate, LoadLifter 7500 XL Ultimate, ProSeries, ProSeries XL or Slam Air air springs; limited to WirelessAir, WirelessOne, all LoadController on-board air compressor systems. Offer may be withdrawn at any time and does not include any units improperly installed, modified, substituted or abused. Valid only on private, non-commercial applications. Date proof of purchase is required. Does not include reimbursement for labor/installation.

Two-Year Warranty

When Consumer Installs Themselves



Air Lift Company warrants to the original purchaser that WirelessAir™, WirelessOne™ and all LoadController™ on-board air compressor systems will be free from defects in workmanship or materials for two years from the date of the original purchase. This does not include installation or other service charges for replacement.

Four-Year Warranty When Installed by an Authorized Installer



When installed by an Air Lift Authorized Installer, Air Lift Company warrants to the original purchaser that WirelessAir and WirelessOne on-board air compressor systems will be free from defects in workmanship or materials for four years from the date of the original purchase. This does not include installation or other service charges for replacement.

Warranty programs may change at the discretion of Air Lift Company. View complete, detailed warranty information at <http://air-lift.co/ls warranty>



Warranty Information

Air Lift ProSeries XL™	Lifetime Limited
Air Lift ProSeries™	Lifetime Limited
LoadLifter 7500 XL Ultimate™	Lifetime Limited
LoadLifter 5000™ Ultimate	Lifetime Limited
LoadLifter 5000™	Lifetime Limited
RideControl™	Lifetime Limited
Air Lift 1000™	Lifetime Limited
Air Lift 1000 HD™	Lifetime Limited
SlamAir™	Lifetime Limited
WirelessAir™	2 or 4 Year Limited
WirelessOne™	2 or 4 Year Limited
LoadController™ Compact	2 Year Limited
LoadController™ Panel	2 Year Limited
Other Accessories	2 Year Limited
Performance Systems	1 Year Limited

Dedication to Quality

Air Lift Company is proud to be ISO 9001:2015 certified.

Air Lift Company is committed to fulfilling the requirements of its quality management system: to develop, manufacture and continuously improve the highest quality products that fit, work and last. Our goal is to consistently provide products and services that meet or exceed the requirements and expectations of our customers.



Adjustable Load Support Product Overview



Air Lift Product	Air Lift 1000™	Air Lift 1000 HD™	RideControl™		LoadLifter 5000™	LoadLifter 5000™ ULTIMATE	LoadLifter 7500 XL™ ULTIMATE	Air Lift® ProSeries Air Lift® ProSeries XL
Representative Kit Photo								
Uses	Good for towing/hauling loads up to GVWR Adjustable load support for coil sprung vehicles	Good for towing/hauling loads up to GVWR Our highest rated coil spring insert exclusively for RAM 1500	Good for towing/hauling loads up to GVWR Excellent stability, safety and car-like ride comfort		Good for towing/hauling loads up to GVWR Safe and comfortable ride, loaded or unloaded	Good for towing/hauling loads up to GVWR Ultimate ride comfort with internal jounce bumper	Good for towing/hauling loads up to GVWR Level the heaviest loads at lower pressures	Good for towing/hauling loads up to GVWR Level the heaviest loads at lower pressures** Featuring aluminum anodized end caps [#]
Fitment	• Most SUVs, CUVs, cars and minivans with open coil springs • Motorhomes	• RAM 1500 trucks	• Most 1/2-ton trucks • Some vans		• Most 1/2, 3/4 & 1-ton trucks • Motorhomes/RVs • Some full-size vans	• Most 1/2, 3/4 & 1-ton trucks • Motorhomes/RVs • Some full-size vans	• Popular 3/4 & 1-ton trucks	• Most 1/2, 3/4 & 1-ton trucks • Motorhomes • Some full-size vans
Load-Leveling Capacity	Up to 1,000 lbs.*	Up to 2,100 lbs.*	Up to 2,000 lbs.*		Up to 5,000 lbs.*	Up to 5,000 lbs.*	Up to 7,500 lbs.*	ProSeries Up to 5,000 lbs.* ProSeries XL Up to 7,500 lbs.*
Air Adjustable	From 5 to 35 PSI 90 PSI for motorhomes	From 5 to 50 PSI	From 5 to 100 PSI		From 5 to 100 PSI	From 5 to 100 PSI	From 5 to 100 PSI	From 5 to 100 PSI
Air Spring	Polyurethane coil-insert spring	Polyurethane coil-insert spring	Rubber sleeve-style spring		6-inch rubber convoluted bellows spring	6-inch rubber convoluted bellows spring with internal jounce bumper	7-inch rubber convoluted bellows spring with internal jounce bumper	ProSeries 6-inch rubber convoluted bellows spring ProSeries XL 7-inch rubber convoluted bellows spring with internal jounce bumper
Compatible with most in-bed hitches	Yes	Yes	No		Yes (In most applications)	Yes (In most applications)	Yes	Yes (In most applications)
Additional Features		Schrader valve	Alignment tool		Roll plates	Roll plates Internal jounce bumper	Roll plates 20% more volume than LoadLifter 5000 Internal jounce bumper	Roll plates Aluminum anodized end caps [#] Stainless steel attaching hardware [#] 20% more volume than ProSeries** Internal jounce bumper**

*Never exceed manufacturer's recommended Gross Vehicle Weight Rating.

**Only applies to ProSeries XL kits.

[#]Only applies to ProSeries 93000-Series kits.

Air Lift offers a Lifetime Warranty and Money-back Guarantee on the Adjustable Load Support Products listed in the chart above. See page 7 for details.



Air Lift® ProSeries XL

Up to 7,500 lbs.
Load-Leveling
Capacity*



Adjustable Load Support Applications						Air Lift 1000 & Air Lift 1000 HD Up to 1,000 lbs. Load-Leveling Capacity* 2,100 lbs. for 1000HD*	RideControl Up to 2,000 lbs. Load-Leveling Capacity*	LoadLifter 5000 Up to 5,000 lbs. Load-Leveling Capacity*	LoadLifter 5000 ULTIMATE Up to 5,000 lbs. Load-Leveling Capacity*	LoadLifter 7500 XL ULTIMATE Up to 7,500 lbs. Load-Leveling Capacity* 20%	Air Lift ProSeries Up to 5,000 lbs. Load-Leveling Capacity* 93000 Series kits: stainless hardware & aluminum endcaps. Not 77000 Series kits.	Air Lift ProSeries XL Up to 7,500 lbs. Load-Leveling Capacity* 20%																		
Model	Start Year	End Year	Drive	Notes		Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	
Chevrolet - Truck/SUV																														
Avalanche 1500	2002	2014	2&4	Will not fit factory-installed auto-leveling option		60769																								
Avalanche 2500	2002	2006	4WD	Requires 6" between the tire and frame						59526																				
Blazer	1969	1991	4WD	Requires 6" between the tire and frame on rear kit						59501																				
Blazer	1973	1991	2WD	Requires 6" between the tire and frame on rear kit						59501																				
Blazer, Tahoe 2 Door Only	1992	1997	4WD							59518																				
Blazer	2019	2026	F&A	Does not fit internal coil spring jounce bumper models		60857																								
C-1500 1/2 Ton Pickup	1973	1987	2WD	& 88215: Requires 8" between the tire and frame										57215				88215								77215				
C-1500 1/2 Ton Pickup Regular & Crew Cab	1988	1998	2WD	59501: Not extended cab; Requires 6" between the tire and frame 57216 & 88216: Not extended cab; Does not fit if axle to frame distance is 7.25" or less						59501				57216				88216												
C-10 1/2 Ton Pickup	1973	1987	2WD	57215 & 88215: Requires 8" between the tire and frame										57215				88215								77215				
C-20 3/4 Ton Pickup	1973	1987	2WD	Requires 8" between the tire and frame										57215				88215								77215				
C-2500 3/4 Ton Pickup	1988	2000	2WD	Does not fit if axle to frame distance is 7.25" or less										57216				88216												
C-30 1 Ton Pickup	1967	1987	2WD	Requires 8" between the tire and frame										57215				88215								77215				
C-3500 1 Ton	1999	2000	2WD	Under 11,000 GVWR; Does not fit if axle to frame distance is 7.25" or less										57216				88216												
Colorado Z71 & YC1	2004	2012	2WD							59539																				
Colorado Z71 & Z85	2004	2012	4WD							59539																				
Colorado	2015	2026	2&4	Does not fit diesel models						59533																				
Equinox	2018	2026	F&A			60856																								
Geo-Tracker 2 Door	1989	2004	4WD			60793																								
K-10 1/2 Ton Pickup	1973	1987	4WD	59501: Requires 6" between the tire and frame						59501				57237				88237												
K-1500 1/2 Ton Pickup	1988	1998	4WD	59501: Requires 6" between the tire and frame 57216 & 88216: Does not fit if axle to frame distance is 7.25" or less						59501				57216				88216												
K-20 3/4 Ton Pickup	1973	1987	4WD	Requires 8" between the tire and frame										57237				88237												
K-2500 3/4 Ton Pickup	1988	2000	4WD	Does not fit if axle to frame distance is 7.25" or less										57216				88216												
K-30 1 Ton Pickup	1973	1987	4WD	Requires 8" between the tire and frame										57237				88237												
K-3500 1 Ton	1988	2000	4WD	Under 11,000 GVWR; Does not fit if axle to frame distance is 7.25" or less										57216				88216												
S-10 Pickup	1982	2003	2WD	Without sport suspension						59529																				
S-10 Pickup	1983	1993	4WD							59529																				
Silverado 1500 Classic GMT 800 series	1999	2007	2WD	Requires 6" between the tire and frame						59501																				
Silverado 1500 Classic GMT 800 series	1999	2007	4WD	Requires 6" between the tire and frame - Does not fit QuadraSteer						59501				57272				88272												
Silverado 1500 GMT 900 series aka "Legacy"	2007	2019	2&4	Fits 68.4" and 78" bed lengths only						59565				57204				88204								77204				
Silverado 1500 GMT 900 series	2007	2018	2&4	Fits 97.8" bed lengths only										57211				88211												
Silverado 1500	2019	2026	2&4											57288				88288								77288				
Silverado 1500 Legacy	2019	2019	2&4							59565				57204				88204								77204				
Silverado 1500 Trail Boss & ZR2	2019	2026	2&4											57388				88388								77388				
Silverado 1500HD	2001	2005	2&4	59501: Requires 6" between the tire and frame 57250 & 88250: Will fit most side-mount 5th wheel hitch applications						59501				57250				88250												
Silverado 2500 3/4 Ton Pickup	1999	2004	2&4	Except 2500 HD; Will fit most side-mount 5th wheel hitch applications. Will not fit with QuadraSteer.																										

Wireless**AIR**

P/N 74000
P/N 74000EZ (with EZ Mount)

Wireless**ONE**

P/N 25980
P/N 25980EZ (with EZ Mount)

Wireless**ONE Tank + EZ Mount**

P/N 25981EZ

Load**Controller**

Single
P/N 25854

Dual
P/N 25856

Kit Type Abbreviations

Air Lift 1000

RC

RideControl

LL

LoadLifter 5000

U

LoadLifter 5000 Ultimate

XL

LoadLifter 7500 XL Ultimate

Features		Difficulty Level	Tools	Modification to Vehicle	Installation Time
Internal jounce bumper	20% Up to 20% more volume than LoadLifter 5000	Easy	Hand tools	No metal drilling, grinding or removal of factory components.	1 Number of hours a typical professional installer will take
Stainless steel attaching hardware		Medium	Hand tools and drill	Drilling may be required. Removal or temporary disconnection of factory components may be required.	2 to complete a full installation
Anodized aluminum endcaps		Expert	Special tools required	Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required.	3

12

Don't see a vehicle listed? Call (800) 248-0892

California: ⚠️WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

Visit us at www.airliftcompany.com

13

Features		Difficulty Level	Tools	Modification to Vehicle	Installation Time
 Internal jounce bumper	 Up to 20% more volume than LoadLifter 5000	 Easy	 Hand tools	No metal drilling, grinding or removal of factory components.	 Number of hours a typical professional installer will take to complete a full installation
 Stainless steel attaching hardware		 Medium	 Hand tools and drill	Drilling may be required. Removal or temporary disconnection of factory components may be required.	
 Anodized aluminum endcaps		 Expert	 Special tools required	Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required.	



Adjustable Load Support Applications						Air Lift 1000 & Air Lift 1000 HD Up to 1,000 lbs. Load-Leveling Capacity* 2,100 lbs. for 1000HD*	RideControl Up to 2,000 lbs. Load-Leveling Capacity*	LoadLifter 5000 Up to 5,000 lbs. Load-Leveling Capacity*	LoadLifter 5000 ULTIMATE Up to 5,000 lbs. Load-Leveling Capacity*	LoadLifter 7500 XL ULTIMATE Up to 7,500 lbs. Load-Leveling Capacity* +20%	Air Lift ProSeries Up to 5,000 lbs. Load-Leveling Capacity* 93000 Series kits: stainless hardware & aluminum endcaps. Not 77000 Series kits.	Air Lift ProSeries XL Up to 7,500 lbs. Load-Leveling Capacity* +20%																							
Model	Start Year	End Year	Drive	Notes		Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME						
Dakota	1987	2002	2WD							59508																									
Dakota	1987	2004	4WD	Requires 6" between tire and frame						59501																									
Dakota	2005	2011	2&4							59555																									
Dakota RT	2000	2001	2WD	Requires 6" between tire and frame						59501																									
Durango	1998	2002	4WD							59529																									
Durango	2001	2002	2WD							59503																									
Durango	2004	2009	AWD	With coil springs		60808																													
Durango	2011	2026	2&4	Does not fit Heat and early RT models. Does fit 2023 and up RT models.		60824																													
Dodge RAM 1500 1/2 Ton Pickup	1994	2001	2&4	59501: Requires 6" between tire and frame. Front kit fits 2WD only.						59501					57215					88215							77215								
Dodge RAM 1500 1/2 Ton Pickup	2002	2008	2WD	59551: Requires 6" between tire and frame						59551					57257					88257															
Dodge RAM 1500 1/2 Ton Pickup	2002	2008	4WD	59551: Requires 6" between tire and frame						59551					57230					88230															
Dodge/RAM 1500 1/2 Ton Pickup - Classic Body Style	2009	2024	2&4	Does not fit if vehicle is equipped with factory air suspension including classic models body style.		60818								57365					88365								77365								
RAM 1500 1/2 Ton Pickup - New Body Style	2019	2026	2&4	Does not fit if vehicle is equipped with factory air suspension. Does not fit RAM TRX model. LoadLifter applications do not fit the RAM Rebel model (Air Lift 1000 60828HD still fits).		60818HD																					93365								
RAM 1500 1/2 Ton Pickup - New Body Style	2019	2026	2&4	Does not fit if vehicle is equipped with factory air suspension. Does not fit RAM TRX model. LoadLifter applications do not fit the RAM Rebel model (Air Lift 1000 60828HD still fits).		60828HD									57375				88375								77375								
RAM 1500 1/2 Ton Pickup - New Body Style	2019	2026	2&4	Does not fit if vehicle is equipped with factory air suspension. Does not fit RAM TRX model. LoadLifter applications do not fit the RAM Rebel model (Air Lift 1000 60828HD still fits).		60828HD									57375				88375								93375								
RAM TRX 1500 1/2 Ton Pickup	2021	2024	4WD																	88377															
RAM RHO 1500 1/2 Ton Pickup	2017	2026	4WD																	88377															
Dodge RAM 2500 3/4 Ton Pickup	1994	2002	2&4	Requires 8" between tire and frame; Front kit fits 2WD only											57215					88215							77215								
Dodge/RAM 2500 3/4 Ton Pickup	2003	2013	2WD	Will fit most side-mount 5th wheel hitch applications											57297				88297																
Dodge/RAM 2500 3/4 Ton Pickup	2003	2013	4WD	Fits factory in-bed hitch system											57295				88295					57595				77295				99595			
Dodge/RAM 2500 3/4 Ton Pickup	2003	2013	4WD	Fits factory in-bed hitch system											57295				88295					57595				77295				99595			
RAM 2500 3/4 Ton Pickup	2014	2026	2&4	Fits factory in-bed hitch system. Does not fit if vehicle is equipped with factory air suspension. Kit 80532 fits 4WD only											57289				88289					57589				77289				99589			
RAM 2500 3/4 Ton Pickup	2014	2026	2&4	Fits factory in-bed hitch system. Does not fit if vehicle is equipped with factory air suspension. Kit 80532 fits 4WD only											57289				88289					57589				77289				99589			
Dodge RAM 3500 1 Ton Pickup	1994	2002	2&4	Requires 8" between tire and frame. Front kit fits 2WD only. Does not fit cab & chassis applications.											57215					88215							77215								
Dodge/RAM 3500 1 Ton Pickup	2003	2018	2WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications.											57297				88297																
Dodge/RAM 3500 1 Ton Pickup	2003	2018	4WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Fits factory in-bed hitch system. Does not fit cab & chassis applications. Does not fit with factory air suspension.											57295				88295					57595				77295				99595			
Dodge/RAM 3500 1 Ton Pickup	2003	2018	4WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Fits factory in-bed hitch system. Does not fit cab & chassis applications. Does not fit with factory air suspension.											57295				88295					57595				77295				99595			
RAM 3500 Chassis Cab	2015	2025	4WD																																
RAM 3500 1 Ton Pickup	2019	2026	2&4	Fits 2WD single-rear-wheel (SRW), 4WD single-rear-wheel (SRW) & dual-rear-wheel (DRW) models											57231				88231					57531				93231				99531			
Dodge/RAM 4500 Comm. Cab & Chassis	2007	2026	2&4																	88255															
Dodge/RAM 5500 Comm. Cab & Chassis	2007	2026	2&4																	88255															
RAM 50	1979	1993	2WD																																
RAMcharger	1974	1993	2&4	Requires 6" between tire and frame						59503																									
RAMcharger	1974	1993	2&4	Requires 6" between tire and frame						59501																									
Dodge - Van																																			
B-100, 150, 1500 1/2 Ton Van	1971	2004																		88105															
B-200, 250, 2500, 3/4 Ton Van	1971	2004																		88105															
B-300, 3500 1 Ton Van	1971	2004																		88105															
Caravan, Grand Caravan	2005	2006		Except all wheel drive																															



Add an Air Lift on-board air compressor system. See page 41 to learn more.

Wireless**AIR**

P/N 74000
P/N 74000EZ (with EZ Mount)

Wireless**ONE**

P/N 25980
P/N 25980EZ (with EZ Mount)

Wireless**ONE Tank + EZ Mount**

P/N 25981EZ

Load**Controller**

Single
P/N 25854

Dual
P/N 25856

Kit Type Abbreviations

Air Lift 1000

.....

RideControl

.....

LoadLifter 5000

.....

LoadLifter 5000 Ultimate

.....

LoadLifter 7500 XL Ultimate

.....

Features	Difficulty Level	Tools	Modification to Vehicle	Installation Time
Internal jounce bumper	Up to 20% more volume than LoadLifter 5000	Easy	Hand tools	No metal drilling, grinding or removal of factory components.
Stainless steel attaching hardware		Medium	Hand tools and drill	Drilling may be required. Removal or temporary disconnection of factory components may be required.
Anodized aluminum endcaps		Expert	Special tools required	Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required.
				1 Number of hours a typical professional installer will take 2 to complete a full installation 3 4

16

Don't see a vehicle listed? Call (800) 248-0892

California: ⚠️WARNING: Cancer and Reproductive Harm – www.P65Warnings.ca.gov

*Never exceed manufacturer's recommended Gross Vehicle Weight Rating.

Visit us at www.airliftcompany.com

17

FORD CAR — FORD TRUCK/SUV

Features		Difficulty Level	Tools	Modification to Vehicle	Installation Time
Internal jounce bumper	Up to 20% more volume than Loadlifter 5000	Easy	Hand tools	No metal drilling, grinding or removal of factory components.	1 2 3 4 Number of hours a typical professional installer will take to complete a full installation
Stainless steel attaching hardware		Medium	Hand tools and drill	Drilling may be required. Removal or temporary disconnection of factory components may be required.	
Anodized aluminum endcaps		Expert	Special tools required	Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required.	



Adjustable Load Support Applications					
Model	Start Year	End Year	Drive	Notes	
F-250 Light Duty 3/4 Ton Pickup	1997	1998	2&4	Side mount kit - May not work with some 5th wheel hitches. Under 7,500 GVWR.	
F-250 3/4 Ton Pickup	1999	2004	2WD	Side mount kit - May not work with some 5th wheel hitches. 8,800 GVWR. Requires 8" between tire and frame.	
F-250 3/4 Ton Pickup	1999	2004	4WD	Side mount kit - May not work with some 5th wheel hitches. Requires 8" between tire and frame. Front kit fits 4WD only.	
F-250 Super Duty	1999	2004	4WD	57215, 88215 & 89215: Side mount kits – May not work with some 5th wheel hitches. 8,800 GVWR.	
F-250 3/4 Ton Pickup	1971	2004	2&4	Side Mount Kit with Reese 5th wheel hitch	
F-250 3/4 Ton Pickup	1999	2004	2WD	Will fit most side-mount 5th wheel hitch applications	
F-250 3/4 Ton Pickup	1999	2004	4WD	Will fit most side-mount 5th wheel hitch applications. Requires 9" between tire and frame.	
F-250 3/4 Ton Pickup	1999	2007	2&4	Side Mount Kit Only fits B&W hitch part #1105 and #1199R in 49" position with minor modifications to both B&W and Air Lift's upper brackets.	
F-250 3/4 Ton Pickup	2005	2010	2&4	Side Mount Kit No 5th wheel hitch or with Reese 5th wheel hitch- except Reese "Signature Series" or Reese hitches with custom rail kit installations	
F-250 3/4 Ton Pickup	2005	2010	2WD	Will fit most side-mount 5th wheel hitch applications	
F-250 3/4 Ton Pickup	2005	2010	4WD	Will fit most side-mount 5th wheel hitch applications. Will not fit with Una-Goose hitch.	
F-250 3/4 Ton Pickup	2011	2016	2WD		
F-250 3/4 Ton Pickup	2011	2016	4WD	Fits factory in-bed hitch system	
F-250 3/4 Ton Pickup	2017	2026	2WD	Fits single-rear-wheel (SRW) models.	
F-250 3/4 Ton Pickup	2017	2022	4WD	Fits single-rear-wheel (SRW) models only. Side mount kit for lifted trucks.	
F-250 3/4 Ton Pickup	2017	2019	4WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models	
F-250 3/4 Ton Pickup	2020	2022	4WD	Fits single-rear-wheel (SRW) models only	
F-250 3/4 Ton Pickup	2023	2026	4WD	Fits single-rear-wheel (SRW) models only	
F-350 1 Ton Pickup	1970	1979	2WD	Side mount kit - May not work with some 5th wheel hitches. Requires 8" between tire and frame.	
F-350 1 Ton Pickup	1980	1997	2WD	Side mount kit - May not work with some 5th wheel hitches. Requires 8" between tire and frame.	
F-350 1 Ton Pickup	1980	1997	4WD	Side mount kit - May not work with some 5th wheel hitches. Excl. Super HD chassis. Requires 8" between tire and frame. Will not fit with stabilizer bar.	
F-350 1 Ton Pickup	1999	2004	2WD	Side mount kit - May not work with some 5th wheel hitches. 11,200 GVWR & Under. Requires 8" between tire and frame.	
F-350 1 Ton Pickup	1999	2004	2&4	Side mount kit - May not work with some 5th wheel hitches. Requires 8" between tire and frame. Front kit fits 4WD only.	
F-350 Super Duty	1999	2004	4WD	57215, 88215 & 89215: Side mount kits – May not work with some 5th wheel hitches.11,200 GVWR and under	
F-350 1 Ton Pickup	1971	2004	2&4	Side Mount Kit With Reese 5th wheel hitch	
F-350 1 Ton Pickup	1999	2007	2&4	Side Mount Kit Only fits B&W hitch part #1105 and #1199R in 49" position with minor modifications to both B&W and Air Lift's upper brackets.	
F-350 1 Ton Pickup	1999	2004	2WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications.	
F-350 1 Ton Pickup	1999	2004	4WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications. Requires 9" between tire and frame.	
F-350 1 Ton Pickup	2005	2010	2&4	Side Mount Kit No 5th wheel hitch or with Reese 5th wheel hitch- except Reese "Signature Series" or Reese hitches with custom rail kit installations	
F-350 1 Ton Pickup	2005	2010	2WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications.	
F-350 1 Ton Pickup	2005	2010	4WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications. Will not fit with Una-Goose hitch.	

Air Lift 1000 & Air Lift 1000 HD				Ride Control				Load Lifter 5000				Load Lifter 5000 ULTIMATE				Load Lifter 7500 XL ULTIMATE				Air Lift ProSeries Up to 5,000 lbs. Load-Leveling Capacity* 93000 Series kits: stainless hardware & aluminum endcaps. Not 77000 Series kits.				Air Lift ProSeries XL Up to 7,500 lbs. Load-Leveling Capacity*			
Rear				Rear				Rear				Rear				Rear				Rear				Rear			
Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME
								57215				88215					77215										
								57215				88215					77215										
								57215				88215					77215										
								57215				88215					77215										
								57298				88298															
								57393				88393															
								57390				88390															
								57291				88291															
								57212				88212															
								57397				88397															
								57398				88398															
								57395				88395															
								57396				88396				57596				77396				93396			
								57391				88391								93391							
								57409																			
								57399				88399				57577				77399				93399			
								57352				88352				57552				77352				93352			
								57354				88354				57554				77354				93354			
								57215				88215					77215										
								57215				88215					77215										
								57215				88215					77215										
								57215				88215					77215										
								57390				88215					77215										
								57291				88291															
								57393				88393															
								57390				88390															
								57212				88212															
								57397				88397															
								57398				88398															

Add an Air Lift on-board air compressor system. See page 41 to learn more.

Wireless**AIR**



P/N 74000
P/N 74000EZ (with EZ Mount)

Wireless**ONE**



P/N 25980
P/N 25980EZ (with EZ Mount)

Wireless**ONE Tank + EZ Mount**



P/N 25981EZ

Load**Controller**



Single P/N 25854
Dual P/N 25856

Kit Type Abbreviations	
Air Lift 1000	
RideControl	
LoadLifter 5000	
LoadLifter 5000 Ultimate	
LoadLifter 7500 XL Ultimate	

Features Key and Installation Scale

Features		Difficulty Level	Tools	Modification to Vehicle	Installation Time
Internal jounce bumper	Up to 20% more volume than LoadLifter 5000	Easy	Hand tools	No metal drilling, grinding or removal of factory components.	Number of hours a typical professional installer will take to complete a full installation
Stainless steel attaching hardware		Medium	Hand tools and drill	Drilling may be required. Removal or temporary disconnection of factory components may be required.	
Anodized aluminum endcaps		Expert	Special tools required	Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required.	





Adjustable Load Support Applications						Up to 1,000 lbs. Load-Leveling Capacity* 2,100 lbs. for 1000HD*	Up to 2,000 lbs. Load-Leveling Capacity*	Up to 5,000 lbs. Load-Leveling Capacity*	Up to 5,000 lbs. Load-Leveling Capacity*	Up to 7,500 lbs. Load-Leveling Capacity* 20%	Up to 5,000 lbs. Load-Leveling Capacity* 93000 Series kits: stainless hardware & aluminum endcaps. Not 77000 Series kits.	Up to 7,500 lbs. Load-Leveling Capacity* 20%																					
Model	Start Year	End Year	Drive	Notes		Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME				
F-350 1 Ton Pickup	2011	2016	2WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications. Front kit to 2014 only.										57395																			
F-350 1 Ton Pickup	2011	2016	4WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Fits factory in-bed hitch system. Does not fit cab & chassis applications. Front kit to 2014 only.										57396				88396				57596				77396				99596			
F-350 1 Ton Pickup	2017	2026	2WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models										57391				88391								93391							
F-350 3/4 Ton Pickup	2017	2022	4WD	Fits single-rear-wheel (SRW) models only. Side mount kit for lifted trucks.										57409																			
F-350 1 Ton Pickup	2017	2019	4WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models										57399				88399				57577				77399				99577			
F-350 Chassis Cab (Commercial Chassis)	2017	2026	2&4	Must have 7 1/2" tire to frame clearance. Must have 3 3/4" body to frame clearance										57343												93343							
F-350 SD (DRW)	2020	2026	4WD	Fits dual-rear-wheel (DRW) models only										57380				88380								93380							
F-350 SD (DRW)	2020	2026	4WD	Fits dual-rear-wheel (DRW) models only																	57580								99580				
F-350 1 Ton Pickup (SRW)	2020	2022	4WD	Fits single-rear-wheel (SRW) models only										57352				88352				57552				77352				99552			
F-350 1 Ton Pickup	2023	2026	4WD	Fits single-rear-wheel (SRW) models only										57354				88354				57554				77354				99554			
F-450 Pickup (non-commercial chassis)	2008	2010	2&4											57347				88347															
F-450 Underframe Mounting	2011	2014	2WD	Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications.										57395				88395															
F-450 Underframe Mounting	2011	2014	4WD	Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications. Front kit to 2014 only.										57396				88396				57596				77396				99596			
F-450 Pickup (non-commercial chassis)	2015	2016	2&4															88349															
F-450 Pickup (non-commercial chassis)	2017	2022	4WD											57399				88399				57577				77399				99577			
F-450 Pickup (non-commercial chassis)	2017	2026	4WD											57399				88399								77399							
F-450 Pickup (non-commercial chassis)	2023	2026	4WD																		57579								99579				
F-450 Commercial Vehicle	1994	2004	2&4	Requires 9" between tire and frame										57345																			
F-450 Commercial Vehicle	2005	2026	2&4	Requires 9" between tire and frame. Typically sold as cab & chassis (straight frame)																													
F-450 Commercial Vehicle	2005	2026	2&4	Requires 9" between tire and frame. Typically sold as cab & chassis (straight frame)										57345																			
F-550 Commercial Vehicle	1994	2004	2&4	Requires 9" between tire and frame										57345																			
F-550 Commercial Vehicle	2005	2026	2&4	Requires 9" between tire and frame. Typically sold as cab & chassis (straight frame)																													
F-550 Commercial Vehicle	2005	2026	2&4	Requires 9" between tire and frame. Typically sold as cab & chassis (straight frame)										57345																			
Ranger	1983	1994	4WD																														
Ranger	1995	1997	2WD											59516																			
Ranger	1998	2011	2&4											59516																			
Ranger	2019	2023	2&4	Domestic models only. Does not fit Tremor models.										57234				88234															
Ranger	2024	2026	4WD	Does not fit Raptor.										57356												77356							
Ford - Van																																	
E-150 1/2 Ton Van	1996	2014		Requires 6" between tire and frame										59526																			
E-250 3/4 Ton Van	1975	2015	2WD																88138														
E-350 1 Ton Van	1975	2015	2WD																88138														
E-350 Commercial Chassis	2015	2026	2WD																88138														
E-450, E-Super Duty Commercial Chassis	1996	2026	2WD	57242 is a side mount kit, make sure there are no propane or other lines on the outside of the frame that may interfere with mounting the upper bracket. If they exist, use kit #57131										57242				88242															
Transit 150, 250, 350	2015	2026	2WD	Does not fit DRW HD Models. Does not fit E-Transit T350 models										57213				88213															
GMC - Truck/SUV																																	
Acadia	2007	2024	F&A	2017 Limited only										60816																			
Acadia	2017	2026	F&A	Does not fit internal coil spring jounce bumper models										60857																			
C-10 & C-1500 1/2 Ton Pickup	1973	1987	2WD	57215, 88215 & 89215: Require 8" between the tire and frame										57215				88215								77215							
K-1500 1/2 Ton Pickup	1973	1987	4WD	59501: Requires 6" between tire and frame 57237 & 88237: Requires 8" between the tire and frame										59501				57237				88237											

Add an Air Lift on-board air compressor system. See page 41 to learn more.

Wireless**AIR**



P/N 74000
P/N 74000EZ (with EZ Mount)

Wireless**ONE**



P/N 25980
P/N 25980EZ (with EZ Mount)

Wireless**ONE Tank + EZ Mount**



P/N 25981EZ

Load**Controller**



Single P/N 25954
Dual P/N 25856

Kit Type Abbreviations

Air Lift 1000	AL
RideControl	RC
LoadLifter 5000	LL
LoadLifter 5000 Ultimate	U
LoadLifter 7500 XL Ultimate	XL

Features Key and Installation Scale

Features		Difficulty Level	Tools	Modification to Vehicle	Installation Time
Internal jounce bumper	Up to 20% more volume than LoadLifter 5000	Easy	Hand tools	No metal drilling, grinding or removal of factory components.	Number of hours a typical professional installer will take
Stainless steel attaching hardware		Medium	Hand tools and drill	Drilling may be required. Removal or temporary disconnection of factory components may be required.	to complete a full installation
Anodized aluminum endcaps		Expert	Special tools required	Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required.	installation
					installation





Adjustable Load Support Applications					
Model	Start Year	End Year	Drive	Notes	
C-1500 1/2 Ton Pickup Regular & Crew Cab	1988	1998	2WD	59501: Requires 6" between tire and frame 57216 & 88216: Not extended cab; Does not fit if axle to frame distance is 7.25" or less	
C-1500 1/2 Ton Pickup Extended Cab	1988	1998	2WD	59501: Requires 6" between tire and frame	
K -1500 1/2 Ton Pickup Regular Cab	1988	1998	4WD	59501: Requires 6" between tire and frame 57216 & 88216: Does not fit if axle to frame distance is 7.25" or less	
C-2500 3/4 Ton Pickup	1973	1987	2WD	Requires 8" between tire and frame	
K-2500 3/4 Ton Pickup	1973	1987	4WD	Requires 8" between tire and frame	
C & K-2500 3/4 Ton Pickup	1988	2000	2&4	Does not fit if axle to frame distance is 7.25" or less	
C-3500 1 Ton Pickup	1968	1987	2WD	Requires 8" between tire and frame	
K-3500 1 Ton Pickup	1973	1987	4WD	Requires 8" between tire and frame	
C & K-3500 1 Ton Pickup	1988	2000	2&4	Under 11,000 GVWR. Does not fit if axle to frame distance is 7.25" or less	
Canyon Z71	2004	2012	2WD		
Canyon Z71 & Z85	2004	2012	4WD		
Canyon	2015	2026	2&4	Does not fit diesel models	
Envoy, Envoy EXT	2002	2009	4WD	Except factory air spring option	
Jimmy	1969	1991	4WD	Requires 6" between tire and frame	
Jimmy	1973	1991	2WD	Requires 6" between tire and frame	
S-15 Pickup, Sonoma	1983	1993	4WD	All models	
S-15 Pickup, Sonoma	1982	2003	2WD		
Sierra 1500 Classic GMT 800 series	1999	2007	2WD	Requires 6" between tire and frame	
Sierra 1500 Classic GMT 800 series	1999	2007	4WD	Requires 6" between the tire and frame - Does not fit QuadraSteer	
Sierra 1500 GMT 900 series aka "Legacy"	2007	2019	2&4	Fits 69.3" & 78" bed only (does not fit work truck model). LoadLifter does not fit MagneRide.	
Sierra 1500 GMT 900 series	2007	2018	2&4	Fits 97.8" bed lengths only. LoadLifter does not fit MagneRide.	
Sierra 1500	2019	2026	2&4		
Sierra 1500 Limited	2019	2019	2&4		
Sierra 1500 AT4 & AT4X	2019	2026	2&4		
Sierra 1500HD	2001	2005	2&4	59501: Requires 6" between tire and frame 57250 & 88250: Will fit most side-mount 5th wheel hitch applications	
Sierra 2500 3/4 Ton Pickup	1999	2004	2&4	Except 2500 HD; will fit with most side-mount 5th wheel hitch applications. Will not fit with QuadraSteer.	
Sierra 2500HD Pickup	2001	2010	2&4	Will fit most side-mount 5th wheel applications. Will not fit with QuadraSteer.	
Sierra 2500HD Pickup	2011	2019	2WD	Will fit most side-mount 5th wheel applications	
Sierra 2500HD Pickup	2011	2019	4WD	Will fit most side-mount 5th wheel applications	
Sierra 2500HD	2020	2026	4WD	Fits most in bed hitches. Fits all puck style 5th wheel and gooseneck hitch mounts. May not work with frame side-mount 5th wheel and gooseneck hitches, review installation guide for reference. Does not fit the AT4X model.	
Sierra 2500HD AT4X	2024	2026	4WD	Fits the AT4X model only	
Sierra 3500 1 Ton Pickup	2001	2010	2&4	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel applications. Will not fit cab & chassis; Will not fit with QuadraSteer.	
Sierra 3500HD 1 Ton Pickup	2011	2019	2WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel applications. Will not fit cab & chassis.	
Sierra 3500HD 1 Ton Pickup	2011	2019	4WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel applications. Will not fit cab & chassis.	
Sierra 3500HD	2020	2026	4WD	Fits single-rear-wheel (SRW) & dual-rear-wheel (DRW) models. Does not fit comm. chassis vehicles. Fits most in bed hitches. Fits all puck style 5th wheel & gooseneck hitch mounts. May not work with frame side-mount 5th wheel & gooseneck hitches, review installation guide for reference.	
Sierra 3500 HD Commercial Cab & Chassis	2001	2010			
Sierra 3500 HD Commercial Cab & Chassis	2011	2015	2&4		

Add an Air Lift on-board air compressor system. See page 41 to learn more.

Wireless**AIR**



P/N 74000
P/N 74000EZ (with EZ Mount)

Wireless**ONE**



P/N 25980
P/N 25980EZ (with EZ Mount)

Wireless**ONE Tank + EZ Mount**



P/N 25981EZ

Load**Controller**



Single P/N 25854
Dual P/N 25856

Kit Type Abbreviations

Air Lift 1000	AL
RideControl	RC
LoadLifter 5000	LL
LoadLifter 5000 Ultimate	U
LoadLifter 7500 XL Ultimate	XL

Features Key and Installation Scale

Features	Difficulty Level	Tools	Modification to Vehicle	Installation Time
Internal jounce bumper	Up to 20% more volume than LoadLifter 5000	Hand tools	No metal drilling, grinding or removal of factory components.	Number of hours a typical professional installer will take to complete a full installation
Stainless steel attaching hardware		Hand tools and drill	Drilling may be required. Removal or temporary disconnection of factory components may be required.	
Anodized aluminum endcaps		Special tools required	Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required.	

*Never exceed manufacturer's recommended Gross Vehicle Weight Rating.



[illegible]

Model	Start Year	End Year	Drive	Notes
Sierra 3500 HD Commercial Cab & Chassis	2016	2025	2&4	This application needs 9" between the tire and the frame to fit. Call for 2026
Suburban	1973	1991	2WD	May require exhaust modification
Suburban	1973	1991	4WD	May require exhaust modification
Suburban 1500 1/2 Ton	1992	1999	2&4	
Suburban 2500 3/4 Ton	2000	2010	4WD	With leaf springs. Requires 6" between the tire and frame.
Terrain	2018	2026	F&A	
Yukon 2 Door Only	1992	1997	4WD	
Yukon 4 Door	1995	2000	2&4	With leaf springs
Yukon or Yukon XL 1500	2000	2020	2&4	With coil springs. Will not fit factory-installed auto-leveling option.
Yukon XL 2500 3/4 Ton	2000	2009	4WD	With leaf springs. Requires 6" between tire and frame.

G-15 1/2 Ton Van	1970	1995		Requires 6" between tire and frame. May not fit with rear air/heat.			59526								
G-25, G-35 3/4 & 1 Ton Van	1970	1995							88105						
Safari Van	1995	2004		With steel multi-leaf suspensions			59521								
Savana G-1500 1/2 Ton Van	1996	2002		Requires 6" between tire and frame			59526								
Savana G-2500	1996	2002		Requires 6" between tire and frame. 7,300 GVWR and under.			59526								
Savana G-2500	1996	2026	2WD	Passenger van only; Boxed frame					57205		88205				
Savana G-3500	1996	2026	2WD	Passenger van only; Boxed frame					57205		88205				

CR-V	2017	2026	F&A			60834									
Odyssey	1999	2004				60740									
Odyssey	2005	2017	F&A	Fits front and all wheel drive		60815									
Passport	1998	2002				60797									
Pilot	2003	2004				60740									
Pilot	2005	2009	F&A	Fits front and all wheel drive		60815									

Hummer H2/SUT Truck	2003	2009	4WD	Will not fit factory installed auto leveling option		60769							
---------------------	------	------	-----	---	--	-------	---	--	--	--	--	--	--

Palisade	2020	2025	F&A	Call for 2026		60860									
Santa-Fe	2019	2026	F&A			60860									
Tucson	2016	2021	F&A			60860									

QX4	1997	2004	4WD			60742							
-----	------	------	-----	--	--	-------	---	---	---	--	--	--	--

Amigo	1990	1993					59503							
Amigo	1998	1999					60797							
Axion	2002	2004					60797							
Pickup	1980	1994	2WD					59529						
Pickup	1995	1995	2WD					59502						
Pickup, Hombre	1996	2000	2WD					59529						
Rodeo	1991	1994						59503						
Rodeo	1998	2003					60797							
Trooper	1992	2002					60783							
Trooper II	1985	1991						59503						
Vehicross	1999	1999					60797							

WirelessAIR™  P/N 74000 74000EZ (with EZ Mount)	WirelessONE™  P/N 25980 P/N 25980EZ (with EZ Mount)	WirelessONE™ Tank + EZ Mount  P/N 25981EZ	LoadController  Single P/N 25854 Dual P/N 25856
---	---	---	--

Air Lift 1000.....	AL
RideControl	RC
LoadLifter 5000	LL
LoadLifter 5000 Ultimate	U
LoadLifter 7500 XL Ultimate	XL

Features		Difficulty Level	Tools	Modification to Vehicle	Installation Time
Internal jounce bumper	Up to 20% more volume than LoadLifter 5000	Easy	Hand tools	No metal drilling, grinding or removal of factory components.	1 Number of hours a typical professional installer will take to complete a full installation
Stainless steel attaching hardware		Medium	Hand tools and drill	Drilling may be required. Removal or temporary disconnection of factory components may be required.	2
Anodized aluminum endcaps		Expert	Special tools required	Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required.	3
					4



Adjustable Load Support Applications						Air Lift 1000 & Air Lift 1000 HD Up to 1,000 lbs. Load-Leveling Capacity* 2,100 lbs. for 1000HD*	RideControl Up to 2,000 lbs. Load-Leveling Capacity*	LoadLifter 5000 Up to 5,000 lbs. Load-Leveling Capacity*	LoadLifter 5000 ULTIMATE Up to 5,000 lbs. Load-Leveling Capacity*	LoadLifter 7500 XL ULTIMATE Up to 7,500 lbs. Load-Leveling Capacity* *20%	Air Lift ProSeries Up to 5,000 lbs. Load-Leveling Capacity* 93000 Series kits: stainless hardware & aluminum endcaps. Not 77000 Series kits.	Air Lift ProSeries XL Up to 7,500 lbs. Load-Leveling Capacity* *20%																	
Model	Start Year	End Year	Drive	Notes		Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME
Jeep/Eagle																													
Cherokee	2014	2023	F&4	Does not fit Trailhawk models		60863																							
Cherokee Trailhawk	2014	2023	4WD	Fits Trailhawk models only - Call for 2024/2025		60864																							
CJ Series & Scrambler	1972	1986								59503																			
Comanche	1986	1993								59503																			
Commander	2006	2010	4WD	No fit for front kit		60811																							
Custom & Grand Wagoneer	1984	1991								59507																			
Eagle Summit	1992	1993		Station wagon only		60776																							
Gladiator	2020	2026	4WD			60830				57415																			
Grand Cherokee	1999	2004				60754																							
Grand Cherokee	2005	2010	4WD	Does not fit SRT models		60811																							
Grand Cherokee	2011	2022	2&4	Does not fit Jeep Quadra-Lift equipped and SRT-8 vehicles		60825																							
Grand Cherokee L	2023	2024	2&4			60861																							
Grand Wagoneer, Grand Cherokee	1992	1998		Except “Up Country” models																									
Wagoneer, Cherokee	1992	2002		Also fits Sport model						59507																			
Wrangler (including Rubicon)	1997	2006				60811																							
Wrangler	2007	2018	2&4	Including Unlimited 4-door. JK only		60817																							
Wrangler	2018	2026	4WD	JL only		60829																							
XJ-Wagoneer, XJ-Cherokee, Pioneer	1984	1991								59507																			
Kia																													
Sorento	2016	2019	F&A			60860																							
Sportage	2016	2022	F&A			60860																							
Telluride	2020	2025	F&A	Call for 2026		60860																							
Lexus																													
LX 450-470	1996	2002				60728																							
GX460	2010	2020		Does not fit factory air suspension		60804																							
Lincoln - Car																													
Continental	1982	1988		Excl. vehicles w/ factory air suspension		60783																							
Mark VII	1984	1987		Excl. vehicles w/ factory air suspension		60783																							
Towncar	1980	1989				60769																							
Lincoln - Truck/SUV																													
Aviator	2020	2026	AWD	Does not fit factory air equipped vehicles		60855																							
Mark LT	2005	2009	2&4							59544																			
MKX	2007	2015	2&4			60819																							
MKS	2010	2016	2&4			60821																							
MKT	2010	2016	2&4			60821																							
Nautilus	2019	2023	AWD			60854																							
Mazda																													
MPV Van	1996	1998				60776																							
Pickup	1972	1993	2&4	All models						59503																			
Pickup	1994	1997	2WD	All models						59516																			
Pickup	1994	1997	4WD	All models						59516																			
Pickup	1998	2010	2&4	All models						59516																			
Mercedes																													
Sprinter 2500	2019	2026	2WD	170" wheelbase						57801																			
Sprinter 2500	2019	2026	4WD	170" wheelbase						57802																			
Sprinter 2500	2019	2026	2WD	144" wheelbase						57811																			
Sprinter 2500	2019	2026	4WD	144" wheelbase						57812																			

Add an Air Lift on-board air compressor system. See page 41 to learn more.

Wireless**AIR**



P/N 74000
P/N 74000EZ (with EZ Mount)

Wireless**ONE**



P/N 25980
P/N 25980EZ (with EZ Mount)

Wireless**ONE Tank + EZ Mount**



P/N 25981EZ

Load**Controller**



Single P/N 25854
Dual P/N 25856

Kit Type Abbreviations

Air Lift 1000	
RideControl	
LoadLifter 5000	
LoadLifter 5000 Ultimate	
LoadLifter 7500 XL Ultimate	

Features Key and Installation Scale

Features	Difficulty Level	Tools	Modification to Vehicle	Installation Time
Internal jounce bumper	Up to 20% more volume than LoadLifter 5000	Hand tools	No metal drilling, grinding or removal of factory components.	Number of hours a typical professional installer will take to complete a full installation
Stainless steel attaching hardware		Hand tools and drill	Drilling may be required. Removal or temporary disconnection of factory components may be required.	
Anodized aluminum endcaps		Special tools required	Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required.	
	Easy			
	Medium			
	Expert			





Adjustable Load Support Applications						Air Lift 1000 & Air Lift 1000 HD Up to 1,000 lbs. Load-Leveling Capacity* 2,100 lbs. for 1000HD*	RideControl Up to 2,000 lbs. Load-Leveling Capacity*	LoadLifter 5000 Up to 5,000 lbs. Load-Leveling Capacity*	LoadLifter 5000 ULTIMATE Up to 5,000 lbs. Load-Leveling Capacity*	LoadLifter 7500 XL ULTIMATE Up to 7,500 lbs. Load-Leveling Capacity* +20%	Air Lift ProSeries Up to 5,000 lbs. Load-Leveling Capacity* 93000 Series kits: stainless hardware & aluminum endcaps. Not 77000 Series kits.	Air Lift ProSeries XL Up to 7,500 lbs. Load-Leveling Capacity* +20%																
Model	Start Year	End Year	Drive	Notes	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME
Mercury - Car																												
Cougar	1989	1991				60789	  																					
Cougar	1992	1997				60776	  																					
Grand Marquis	1998	2006				60798	  																					
Grand Marquis, Colony Park	1983	1997		Including station wagon		60769	  																					
Sable Station Wagon	1986	2005				60776	  																					
Mitsubishi																												
Expo	1992	1993				60776	  																					
Montero	1990	2000				60747	  																					
Montero Sport	1997	1998	4WD						59503	  																		
Montero Sport	1999	2004	4WD			60747	  																					
Pickup	1983	1993	2WD						59529	  																		
Raider	2006	2009	2&4						59555	  																		
Nissan																												
Frontier	1998	1998	2WD						59503	  																		
Frontier	2022	2026	4WD										57244	  														
Murano	2003	2026	2&4			60774	  																					
Pathfinder	1987	1995	4WD			60783	  																					
Pathfinder	1996	2004	4WD			60742	  																					
Pathfinder	2005	2012	4WD			60810	  																					
Pathfinder	2013	2026	2&4			60838	  																					
Pathfinder Armada	2004	2006	4WD			60807	  																					
Pickup	1969	1997	2WD						59529	  																		
Rogue	2014	2020	F&A			60836	  																					
Rogue	2021	2026	AWD			60837	  																					
Titan	2004	2015	2&4						59554	  																		
Titan	2017	2024	2&4										57331	  														
Titan XD	2016	2023	2&4										57229	  														
Xterra	2005	2015	4WD						59562	  																		
Oldsmobile - Car																												
Achieva	1992	1998				60789	  																					
Aurora	1995	2004				60776	  																					
Custom Cruiser Station Wagon	1977	1993				60755	  																					
Custom Cruiser Station Wagon	1984	1995	FWD			60797	  																					
Cutlass	1964	1966		Including station wagon and Vista Cruiser		60750	  																					
Cutlass Calais	1985	1991	FWD			60789	  																					
Cutlass Calais	1982	1996				60797	  																					
Cutlass, Cutlass Supreme, Calais	1973	1987		Excluding station wagon		60733	  																					
Cutlass, F-85, 442	1967	1972		Excluding station wagon		60744	  																					
Delta 88, 98, Regency	1985	1999	FWD			60798	  																					
LS Sedan	1996	1999				60798	  																					
Oldsmobile - SUV/Van																												
Bravada	1991	1994							59503	  																		
Bravada																												

Add an Air Lift on-board air compressor system. See page 41 to learn more.

Wireless**AIR**



P/N 74000
P/N 74000EZ (with EZ Mount)

Wireless**ONE**



Adjustable Load Support Applications					
Model	Start Year	End Year	Drive	Notes	

Pontiac - Car					
6000	1982	1991			
Bonneville	1987	1999	FWD		
Bonneville	2000	2005			
Firebird, Trans Am	1982	2002			
Grand Am	1985	1998			
Grand Am, Grand LeMans, LeMans	1973	1982		Including station wagon	
Grand Prix	1965	1968			
Grand Prix	1969	1972			
Grand Prix	1973	1987			
J-2000, Sunbird	1982	1994		Including station wagon	
LeMans	1988	1992			
LeMans, Tempest, GTO, GT37	1967	1972		Excluding station wagon	
Safari Station Wagon	1987	1989			
Tempest, GTO	1964	1966		Including station wagon	

Pontiac - Van					
Transport APV Van, Montana	1997	2005			

RAM - Truck					
RAM 1500 1/2 Ton Pickup - Classic Body Style	2011	2024	2&4	RAM 1500 Classic Combo Kit - Includes an Air Lift 1000 HD Kit (60818HD) with a LoadController Compact (single-path) compressor system (25850)	
RAM 1500 1/2 Ton Pickup - New Body Style	2019	2026	2&4	RAM 1500 New Body Style Combo Kit - Includes an Air Lift 1000 HD kit (60828HD) with a LoadController Compact (single-path) compressor system (25850)	
RAM 1500 1/2 Ton Pickup - Classic Body Style	2011	2024	2&4	Does not fit if vehicle is equipped with factory air suspension including classic models body style.	
RAM 1500 1/2 Ton Pickup - New Body Style	2019	2026	2&4	Does not fit if vehicle is equipped with factory air suspension. Does not fit RAM TRX and RHO models. LoadLifter applications do not fit the RAM Rebel model (Air Lift 1000 60828HD still fits).	
RAM TRX 1500 1/2 Ton Pickup	2021	2024	4WD		
RAM RHO 1500 1/2 Ton Pickup	2017	2026	4WD		
RAM 2500 3/4 Ton Pickup	2011	2013	2WD	Will fit most side-mount 5th wheel hitch applications	
RAM 2500 3/4 Ton Pickup	2011	2013	4WD	Fits factory in-bed hitch system	
RAM 2500 3/4 Ton Pickup	2014	2026	2&4	Fits factory in-bed hitch system. Does not fit if vehicle is equipped with factory air suspension. Kit 80532 fits 4WD only	
RAM 3500 1 Ton Pickup	2011	2018	2WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Will fit most side-mount 5th wheel hitch applications. Does not fit cab & chassis applications.	
RAM 3500 1 Ton Pickup	2011	2018	4WD	Fits single-rear-wheel (SRW) and dual-rear-wheel (DRW) models. Fits factory in-bed hitch system. Does not fit cab & chassis applications. Does not fit with factory air suspension.	
RAM 3500 1 Ton Pickup	2019	2026	2&4	Fits 2WD single-rear-wheel (SRW) and 4WD single-rear-wheel (SRW) & dual-rear-wheel (DRW) models	
RAM 3500 Chassis Cab (Commercial Chassis)	2019	2026	2&4	Fits dual-rear-wheel (DRW) only	
RAM 4500 Commercial Cab and Chassis	2011	2026	2&4		
RAM 5500 Commercial Cab and Chassis	2011	2026	2&4		

Air Lift 1000 & Air Lift 1000 HD			
Up to 1,000 lbs. Load-Leveling Capacity* 2,100 lbs. for 1000HD*			
Rear			

Ride Control			
Up to 2,000 lbs. Load-Leveling Capacity*			
Rear			

Load Lifter 5000			
Up to 5,000 lbs. Load-Leveling Capacity*			
Rear			

Load Lifter 5000 ULTIMATE			
Up to 5,000 lbs. Load-Leveling Capacity*			
Rear			

Load Lifter 7500 XL ULTIMATE			
Up to 7,500 lbs. Load-Leveling Capacity* +20%			
Rear			

Air Lift ProSeries			
Up to 5,000 lbs. Load-Leveling Capacity* 93000 Series kits: stainless hardware & aluminum endcaps. Not 77000 Series kits.			
Rear			

Air Lift ProSeries XL			
Up to 7,500 lbs. Load-Leveling Capacity* +20%			
Rear			

Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME
60797			
60798			
60776			
60797			
60789			
60733			
60733			
60744			
60733			
60789			
60789			
60744			
60755			
60750			

Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME

Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME

Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME

Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME

Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME

Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME

WirelessAIR****

P/N 74000
P/N 74000EZ (with EZ Mount)

WirelessONE****

P/N 25980
P/N 25980EZ (with EZ Mount)

WirelessONE** Tank + EZ Mount**

P/N 25981EZ

LoadController****

Single P/N 25854
Dual P/N 25856

- Kit Type Abbreviations**
- Air Lift 1000 **AL**
 - RideControl **RC**
 - LoadLifter 5000 **LL**
 - LoadLifter 5000 Ultimate **U**
 - LoadLifter 7500 XL Ultimate **XL**

Features Key and Installation Scale

Features	Difficulty Level	Tools	Modification to Vehicle	Installation Time
Internal jounce bumper	Up to 20% more volume than LoadLifter 5000	Hand tools	No metal drilling, grinding or removal of factory components.	Number of hours a typical professional installer will take to complete a full installation
Stainless steel attaching hardware		Hand tools and drill	Drilling may be required. Removal or temporary disconnection of factory components may be required.	
Anodized aluminum endcaps		Special tools required	Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required.	





Adjustable Load Support Applications							Air Lift 1000 & Air Lift 1000 HD Up to 1,000 lbs. Load-Leveling Capacity* 2,100 lbs. for 1000HD*	RideControl Up to 2,000 lbs. Load-Leveling Capacity*	LoadLifter 5000 Up to 5,000 lbs. Load-Leveling Capacity*	LoadLifter 5000 ULTIMATE Up to 5,000 lbs. Load-Leveling Capacity*	LoadLifter 7500 XL ULTIMATE Up to 7,500 lbs. Load-Leveling Capacity*	Air Lift ProSeries Up to 5,000 lbs. Load-Leveling Capacity* 93000 Series kits: stainless hardware & aluminum endcaps. Not 77000 Series kits.	Air Lift ProSeries XL Up to 7,500 lbs. Load-Leveling Capacity* †20%																								
Model	Start Year	End Year	Drive	Notes		Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME	Kit	DIFFICULTY LEVEL	TOOLS	INSTALL TIME				
RAM - Van																																					
RAM ProMaster City	2014	2022				60852			1					57233			2	88233			2					57233			2	88233			2				
RAM ProMaster 1500	2013	2026	2WD											57233			2	88233			2					57233			2	88233			2				
RAM ProMaster 2500	2013	2026	2WD											57233			2	88233			2					57233			2	88233			2				
RAM ProMaster 3500	2013	2026	2WD											57233			2	88233			2					57233			2	88233			2				
Saab																																					
99, 900	1970	1991				60756			1																												
Saturn																																					
Outlook	2007	2011	F&A			60816			2																												
Scion																																					
Scion xB	2005	2006				60774			1																												
Suzuki																																					
Grand Vitara, Vitara, XL-7	1999	2005	4WD			60793			1																												
Sidekick, 2 Door	1989	1998				60793			1																												
Toyota - Truck/SUV																																					
4Runner	1990	1995	4WD			60812			1																												
4Runner	1996	2002	2&4			60743			1																												
4Runner	2003	2009	4WD			60809			1																												
4Runner	2010	2024	4WD	Does not fit factory air suspension		60804			3																												
4Runner	2025	2025	4WD	Does not fit Trail Hunter										57384			2									77384			2								
FJ Cruiser	2007	2014	4WD			60809			1																												
Land Cruiser	1991	2006				60728			1																												
Pickup	1969	1995	2WD							59502			2																								
Pickup	1969	1995	4WD	Except extended cab						59502			2																								
RAV4	1996	2000	2&4			60789			1																												
RAV4	2006	2018	4WD			60840			2																												
RAV4	2019	2025	4WD	Call for 2026		60842			2																												
RAV4	2022	2023	2WD	Call for 2024/2025		60842			2																												
Sequoia	2001	2007	2&4			60812			1																												
Sequoia	2011	2022	4WD	Does not fit Platinum platforms with air suspension		60826			1																												
Sequoia	2023	2026	4WD	Does not fit TRD Pro with Fox rear remote reservoir shocks										57264			2																				
Sequoia SR-5	2008	2018	2&4	Does not fit the auto leveling option		60786			1																												
T-100 Pickup	1993	1998	4WD							59503			2																								
T-100 Pickup	1993	1998	2WD	All models						59502			2																								
Tacoma	1995	2004	2WD							59503			2																								
Tacoma	1995	2004	4WD							59537			2																								
Tacoma	2005	2023	2WD	Fits axle over leaf design models only						59564			1																								

Add an Air Lift on-board air compressor system. See page 41 to learn more.

Wireless**AIR**



P/N 74000
P/N 74000EZ (with EZ Mount)

Wireless**ONE**



P/N 25980
P/N 25980EZ (with EZ Mount)

Wireless**ONE Tank + EZ Mount**



P/N 25981EZ

Load**Controller**



Single P/N 25854
Dual P/N 25856

Kit Type Abbreviations	
Air Lift 1000	AL
RideControl	RC
LoadLifter 5000	LL
LoadLifter 5000 Ultimate	U
LoadLifter 7500 XL Ultimate	XL

Features		Difficulty Level	Tools	Modification to Vehicle	Installation Time
Internal jounce bumper	Up to 20% more volume than LoadLifter 5000	Easy	Hand tools	No metal drilling, grinding or removal of factory components.	1 Number of hours a typical professional installer will take
Stainless steel attaching hardware		Medium	Hand tools and drill	Drilling may be required. Removal or temporary disconnection of factory components may be required.	2 to complete a full installation
Anodized aluminum endcaps		Expert	Special tools required	Drilling, cutting and/or grinding required. Removal or temporary disconnection of factory components may be required.	3
					4





LOAD SUPPORT FRONT KITS

Model	Start Year	End Year	Drive	Notes	Kit	TYPE	DIFFICULTY LEVEL	TOOLS	INSTALL TIME
Chevrolet - Truck/SUV									
Blazer	1973	1991	2WD		81560	AL			1
C-1500 1/2 Ton Pickup	1973	1987	2WD		81560	AL			1
C-10 1/2 Ton Pickup	1973	1987	2WD		81560	AL			1
C-20 3/4 Ton Pickup	1973	1987	2WD		81560	AL			1
C-30 1 Ton Pickup	1967	1987	2WD		81560	AL			1
Suburban	1973	1991	2WD		81560	AL			1
Chevrolet - Van									
G-10 1/2 Ton Van	1970	1995			81560	AL			1
G-20 3/4 Ton Van	1970	1995			81560	AL			1
G-30 1 Ton Van	1970	1995			81560	AL			1
Dodge - Truck/SUV									
RAM 2500 3/4 Ton Pickup	2014	2026	2&4	Does not fit if vehicle is equipped with factory air suspension. Kit 80532 fits 4WD only.	80532	AL			2
RAM 3500 1 Ton Pickup	2019	2026	4WD		80532	AL			2
Ford - Truck/SUV									
Excursion	2000	2005	4WD		57154 88154	LL U			2
F-250 3/4 Ton Pickup	1999	2004	4WD	Fits 4WD only	57154 88154	LL U			2
F-250 Super Duty	1999	2004	4WD		57154	LL			2
F-250 3/4 Ton Pickup	1999	2004	4WD		57154 88154	LL U			2
F-350 1 Ton Pickup	1999	2004	2&4	Fits 4WD only	57154 88154	LL U			2
F-350 Super Duty	1999	2004	4WD		57154	LL			2
F-350 1 Ton Pickup	1999	2004	4WD	Does not fit cab & chassis applications	57154 88154	LL U			2
F-450 Commercial Vehicle	1994	2004	2&4		57154	LL			2
F-550 Commercial Vehicle	1994	2004	2&4		57154	LL			2
GMC - Truck/SUV									
C-10 & C-1500 1/2 Ton Pickup	1973	1987	2WD		81560	AL			1
C-2500 3/4 Ton Pickup	1973	1987	2WD		81560	AL			1
C-3500 1 Ton Pickup	1968	1987	2WD		81560	AL			1
Jimmy	1973	1991	2WD		81560	AL			1
Suburban	1973	1991	2WD		81560	AL			1
GMC - Van									
G-15 1/2 Ton Van	1970	1995			81560	AL			1
G-25, G-35 3/4 & 1 Ton Van	1970	1995			81560	AL			1
Jeep/Eagle									
Comanche	1986	1993			80702	AL			2
Grand Wagoneer, Grand Cherokee	1992	1998		Except "Up Country" models	80702	AL			2
Wrangler (including Rubicon)	1997	2006			80702	AL			2
XJ-Wagoneer, XJ-Cherokee, Pioneer	1984	1991			80702	AL			2
RAM - Truck									
RAM 2500 3/4 Ton Pickup	2014	2026	2&4	Does not fit if vehicle is equipped with factory air suspension. Kit 80532 fits 4WD only.	80532	AL			2
RAM 3500 1 Ton Pickup	2019	2026	4WD		80532	AL			2

Kit Type Abbreviations

- Air Lift 1000.....AL
- LoadLifter 5000.....LL
- LoadLifter 5000 Ultimate.....U



SLAMAIR™ / DRAG BAGS

SlamAir Applications for Lowered Vehicles								
Model	Start Year	End Year	Drive	Notes	2" - 4" Rear Kit	Replacement Bag	5" - 6" Rear Kit	Replacement Bag
Chevrolet/GMC								
1/2 Ton Full Size Truck	1988	1998	2WD		59103	50254	59106BT	50203
3/4 Ton Truck	1988	2000	2WD	Classic Only	no fit	no fit	59202	50207
1 Ton Truck	1988	2000	2WD		no fit	no fit	59202	50207
Astro Van	1995	2004	2WD	Multi-leaf		50254	no fit	no fit
Silverado/Sierra 1/2 Ton Pickup	1993	2008	2WD	Except 1500 HD	59103	50254	no fit	no fit
Silverado/Sierra GMT 800	1999	2007	2WD	Fits 4-6" drops only	59209	50266	59209	50266
Silverado/Sierra GMT 900	2007	2018	2WD	Fits 4-6" drops only; Does not fit long bed	59209	50266	59209	50266
Ford								
1/2 Ton Full Size Truck	1970	2004	2WD	For 2004, fits Heritage model only	59103	50254	no fit	no fit
F-150	2004	2014	2&4	New body, excludes Heritage models	59210	50266	59210	50266
Dodge								
1/2 Ton Full Size Truck	1969	2001	2WD		59103	50254	no fit	no fit
1500	2002	2008	2WD	Fits 4-6" drops only	59113	50259	59113	50259
Lincoln								
Mark LT	2005	2009	2&4		59210	50266	59210	50266
Mazda								
Pickup	1998	2009	2WD		59103	50254	no fit	no fit

*Does not fit if top of leaf to bottom of the frame is less than 8.5"

Drag Bags Applications											
Model	Start Year	End Year	Front Kit	Front Repl. Bag Only	TOOLS	INSTALL TIME	Rear Kit	Rear Repl. Bag Only	TOOLS	INSTALL TIME	
Buick											
Deluxe, Special, Skylark	1967	1972					60844	60844		1	
Regal, Century, Gran Sport	1973	1987					60844	60844		1	
Chevrolet											
Camaro Z-28, IROC-Z	1982	2002					60897	60897		1	
Chevelle, Malibu, SS, "300"	1967	1972					60844	60844		1	
Chevelle, Malibu, Laguna (incl. Station Wagon)	1973	1983					60844	60844		1	
El Camino	1967	1987					60844	60844		1	
Monte Carlo	1973	1988					60844	60844		1	
Monte Carlo SS	1984	1988					60844	60844		1	
Ford											
Mustang	1979	2004					60897	60897		1	
Oldsmobile											
Cutlass, F-85, 442 (excl. Station Wagon)	1967	1972					60844	60844		1	
Cutlass	1973	1988					60844	60844		1	
Pontiac											
Firebird, Trans Am	1982	2002					60897	60897		1	
Grand Am, LeMans	1973	1982					60844	60844		1	
Grand Prix	1969	1972					60844	60844		1	
Grand Prix	1973	1987					60844	60844		1	
GTO, LeMans, Tempest, Judge, Custom "S" (excl. station wagon)	1967	1972					60844	60844		1	



MOTORHOMES / RV / STEP VANS

Motorhome/RV/Step Van Applications													
Model	Start Year	End Year	Notes	Front Kit	Front Repl. Bag Only	TOOLS	INSTALL TIME	Std. Rear Kit	Std. Rear Repl. Bag Only	Ultimate Rear Kit	Ultimate Rear Repl. Bag Only	TOOLS	INSTALL TIME
Chevrolet													
G-30 Class "C"	1970	1995		81560	81260	⌘	1			88105	84264	⌘	2
G-3500 Cutaway Chassis	1998	2012	No fit for '96-'97					57245	50252	88245	84252	⌘	2
G-4500 Cutaway Chassis	2009	2012						57245	50252	88245	84252	⌘	2
GP-30 Cutaway Chassis	1993	1995		81560	81260	⌘	1			88203	84284	⌘	2
5500 Cutaway Chassis/C4500	2004	2009						57292	50329			⌘	2
W20/W22/W24	2002	2009	GVWR 20,000-24,000	88101	50252 84252	⌘	1			88202	84201	⌘	2
Workhorse W-18	2000	2009	18,000 GVWR only	81560	81260	⌘	1						
Workhorse W-16	2005	2009	10,500-17,000 GVWR	81560	81260	⌘	1						
P-30, P-32	1993	2005	Over 14,500 GVWR	81560	81260	⌘	1			88219	84201		2
P-30, P-32	1963	1999	93-'99 14,500 GVWR and under	81560	81260	⌘	1			88203	84284	⌘	2
Ford													
E-350 Class "C"	1975	2026								88138	84264	⌘	2
E-450 Super Duty Class "C"	1996	2008	Underframe kit for up to 14,050 GVWR					57131	50201	88131	84201	⌘	2
E-450 Super Duty Class "C"	1996	2026	Side mount kit for maximum load & stability with GVWR over 14,050; Requires 8" between tire and frame.					57242	50251	88242	84251	⌘	2
F-53 Class "A"	1990	1997		57140 88140	50252 84252	⌘	2			88208	84201	⌘	2
F-53 Class "A"	1998	2008	Does not fit 26,000 GVWR. Requires 9" between the tire and frame.	57140 88140	50252 84252	⌘	2	57410	50229			⌘	2
F-53 Class "A" Commercial Chassis	2009	2024	Does not fit 24,000 & 26,000 GVWR. Requires 8" between the tire and frame. - Call for 2025 & 2026	88240	84264	⌘	1.5	57344	50201	88344	84251	⌘	2
Toyota													
Micro Mini	1986	1994						57113	50252	88113	84252	⌘	2

UNIVERSAL AIR SPRING KITS

Air Lift 1000 Universal Air Springs								
Kit #	Min. Diameter (Y)	Min. Length (X)	Kit #	Min. Diameter (Y)	Min. Length (X)	Kit #	Min. Diameter (Y)	Min. Length (X)
60900	3.00"	5.50"	60909	4.00"	8.00"	60920	5.00"	9.00"
60901	3.00"	8.00"	60910	4.00"	9.00"	60921	5.00"	11.00"
60902	3.00"	9.00"	60911	4.00"	10.00"	60922	5.50"	5.50"
60903	3.50"	5.26"	60914	4.50"	6.50"	60923	5.50"	7.50"
60904	3.50"	7.75"	60915	4.50"	7.50"	60924	5.50"	8.50"
60905	3.50"	9.50"	60916	4.50"	9.00"	60925	5.50"	9.50"
60906	4.00"	5.00"	60917	4.50"	10.00"	60926	5.50"	10.50"
60907	4.00"	6.00"	60918	5.00"	5.25"	60927	5.50"	11.50"
60908	4.00"	7.00"	60919	5.00"	7.00"			




TOW ASSIST PRODUCTS

Towtal View™ **NEW!** HD Camera with Versatile Mounts



Towtal View Camera Features

- + 80° vertical and 110° horizontal field of view (FOV)
- + Wireless HD camera with over 100 feet of reliable range via a strong and secure Wi-Fi connection
- + Free mobile app for iOS and Android to view live color camera feed, record video, capture photos, add/remove backup-assist lines, mirror the image and rotate the image
- + Quick-connect mounts allow for easy, no-tool swapping between hardwired and battery pack mounts
- + Infrared LED lights for night vision maintaining color viewing, rather than traditional black & white night vision
- + With a portable mount and 5+ hours of battery, the camera can be mounted in a variety of locations
- + Multi-coated lens for clarity by reducing glare, resisting fingerprints and scratches and improving color accuracy
- + IP68 waterproof rated
- + 2-year limited warranty




P/N: 25300




Control Towtal View with a compatible smartphone and the free app. App compatible with larger devices such as iPad and Android tablets

Versatile Mount Features



Quick-connect permanent mount includes wiring harness and all hardware for easy connection to trailer lights

Portable suction cup power pack mount featuring quick-connect mount and 5+ hour lithium-ion battery



- + Multi-position adjustable mounts allow for various viewing angles (-65° down, +45° up)
- + Included hardwired permanent mount with IP67-rated waterproof quick connection easily connects to the trailer lights via the included wiring harness
- + Included rechargeable lithium-ion battery pack built into suction cup mount with 5+ hour battery


Towtal View™ ^{NEW!} LaneGuard™ and LaneGuard™ Pro



LaneGuard P/N 25341

Single Sensor Solution for Blindspot Detection

LaneGuard offers Blind Spot Detection (BSD) and Lane Change Assist (LCA). These features cover blind spots making lane changes safer. The system includes LED light strips mounted on the front of the trailer for clear feedback.



LaneGuard Features

- ✦ **Enhanced Safety:** Blind Spot Detection (BSD) and Lane Change Assist (LCA) to reduce the risk of accidents caused by limited visibility.
- ✦ **Stress-Free Maneuvering:** Simplify lane changes and merging with proactive alerts that let you know when it's safe to move, making towing less stressful.
- ✦ **Easy to Install:** LaneGuard has a straightforward installation process that integrates seamlessly with your vehicle, getting you on the road quickly and safely.

LaneGuard Pro P/N 25342

Dual Sensor Solution for Blindspot Detection

LaneGuard Pro offers Blind Spot Detection (BSD), Lane Change Assist (LCA), and Rear Cross Traffic Alert (RCTA), along with an extended detection range for continuous monitoring of the vehicle's surroundings, simplifying lane changes and reverse maneuvers.



LaneGuard Pro Features

- ✦ **All the same features as LaneGuard plus...**
- ✦ **Comprehensive Coverage:** With dual radars, LaneGuard Pro offers not only Blind Spot Detection (BSD) and Lane Change Assist (LCA) but also Rear Cross Traffic Alert (RCTA), providing all-around protection.
- ✦ **Advanced Alert System:** Provides timely and accurate alerts about obstacles behind the trailer when reversing.
- ✦ **Superior Visibility:** The dual radar setup extends the range of detection, giving you a broader view of the surroundings.

Part Number	Product	Sensor	BSD	LCA	RCTA
25341	LaneGuard	Single	Yes	Yes	No
25342	LaneGuard Pro	Dual	Yes	Yes	Yes

Compressor Systems		
Features	SINGLE-PATH Controlling two air springs together	DUAL-PATH Controlling two air springs independently
WIRELESS - Compatible with all Air Lift air spring kits and most other brands - Controller with graphical display, programmable with up to 3 user-defined presets - Free app allows for control from a compatible smartphone (iOS and Android) - Weather-resistant and corrosion-proof manifold 2-way wireless communication allows for built-in diagnostics - Automatic low-pressure monitor and air spring leak detection - Battery direct power... no need to tap into ignition source - Easier to install...no gauges to mount - Single Path - WirelessOne Systems - Dual Path - WirelessAir Systems	WirelessONE™ Tank + EZ Mount P/N 25981EZ	WirelessAIR™ Tank + EZ Mount P/N 74100EZ
	WirelessONE™ P/N 25980 WirelessONE™ with EZ MOUNT™ P/N 25980EZ Manifold and upgraded compressor together in one bracketed assembly.	WirelessAIR™ P/N 74000 WirelessAIR™ with EZ MOUNT™ P/N 74000EZ Manifold and upgraded compressor together in one bracketed assembly.
COMPACT & PANEL ANALOG	LoadController Compact Heavy-duty P/N 25854	LoadController Panel Standard-duty P/N 25592
	LoadController Compact Heavy-duty P/N 25856	LoadController Panel Standard-duty P/N 25592

Accessories		
Model	Notes	Kit Number
Universal Air Spring Spacers for ProSeries and LoadLifter Kits		
Universal Air Spring Cradle	Kit includes 2 universal air spring spacers made from durable and lightweight engineered resin plus all attaching hardware	52500
Air Spring Spacer — 2" spacer	Includes all hardware; Does not fit RideControl	52420 — straight
Air Spring Spacer — 4" spacer (available in straight and angled versions)	Includes all hardware; Does not fit RideControl	52440 — straight 52445 — angled
Air Spring Spacer — 6" spacer (available in straight and angled versions)	Includes all hardware; Does not fit RideControl	52460 — straight 52465 — angled
Visit Air-Lift.co/spacer for more information on how to choose the right spacer for your application.		
Replacement Hose Kits		
Hose Cutter		10530
Replacement Hose Kit - Push-on (607xx & 807xx Series)		22007
P-30 Hose Kit		22022
Replacement Hose Kit (605xx & 805xx Series)		22030



Air Lift's new Digital Portable Compressor includes a portable compressor with a digital gauge which shows the pressure reading. The kit includes a 7-way power adapter, allowing the compressor to be powered via the vehicle's 7-way trailer plug, and an alligator-style battery clamp power adapter, allowing the compressor to be powered via the vehicle's battery. Also included is a 3-piece inflation tip kit. This compressor can inflate air springs, vehicle tires, bike tires, toys, etc.

Digital Portable Compressor: P/N: 16188

- + Portable compressor with 120 PSI digital pressure gauge
- + Pressure presets with automatic shutoff at the desired pressure
- + Deflate button on the air hose
- + 7-way power adapter
- + Battery clamp power adapter
- + LED work light / power indicator
- + Deluxe Carry Bag
- + 3-piece inflation tip kit
- + Presta valve adaptor
- + 6' power cord with 16' air hose



3 in 1 Air Down Gauge: P/N: 16151

The 3 in 1 Air Down Gauge is an air pressure gauge with a thread-on-style connector that allows for hands-free pressure reading. Additionally, the gauge hose includes a handy deflation button.

- + Compact analog 100 PSI gauge for reading of air pressure
- + Deflate button to allow decreasing of air pressure
- + Thread-on hose adapter
- + Easily and accurately read air spring pressures, tire pressures or anything with a standard Schrader valve



Included with the Digital Portable Compressor, and **also sold separately**, are the 7-Way Power Adapter and Battery Clamp Adapter

7-Way Power Adapter: P/N: 16153


- + 7-way power adapter connects to vehicle's trailer 7-way plug to power a compressor
- + SAE connector on power cord
- + Upgrade or convert your existing compressor to 7-way connector

Battery Clamp Adapter: P/N: 16152

- + Battery clamp power adapter connects to vehicle's battery to power a compressor
- + SAE connector on power cord
- + Upgrade or convert your existing compressor to battery clamp connections



Part Number	Product	Compressor	Min Pressure	Max Pressure
16188	Digital Portable Compressor	88P Digital	0	120
16151	Analog Pressure Gauge	NA	0	100
16152	Battery Clamp Adapter	NA	NA	NA
16153	7-Way Power Adapter	NA	NA	NA

Replacement Parts	P/N	Description
 	16060 16192	Standard-duty 12V Air Compressor, 0.92 CFM, 100 PSI Replacement compressor for kits 25592 & 25980 Heavy-duty 12V Air Compressor, 1.03 CFM, 120 PSI Replacement compressor for kits 25854, 25856, 25980EZ, 74000 & 74000EZ
	16444	Heavy-duty 12v Air Compressor, 1.76 CFM, 200 PSI Replacement compressor for kit 25981EZ
	16544	Heavy-duty 12v Air Compressor Replacement compressor for kit 74100EZ
 	26156 26159	Single Gauge Panel Assembly for LoadController Dual Gauge Panel Assembly for LoadController
  	25194 25195 25196 (pod only)	Single Analog Gauge Dual Analog Gauge Analog Gauge Pod (pod only, gauge not included)
 	26897 26896 26927 26933	WirelessAir Harness WirelessOne Harness WirelessAir Tank + EZ Mount Harness (not shown) WirelessOne Tank + EZ Mount Harness (not shown)
	72718-w	Replacement manifold for kits 25980, 25980EZ, 25981EZ
	72710-w	Replacement manifold for kits 73000EZ, 74000, 74000EZ, 74100EZ
	72719-w	Replacement controller for kits 25980, 25980EZ, 25981EZ
	73006-w	Replacement controller for kits 73000EZ, 74000, 74000EZ, 74100EZ



SERVICE PARTS

REPLACEMENT AIR SPRINGS



Service Parts Kit	P/N	Description
	25301	Kit includes: 1 - 20937 - 50ft. of 1/4" Poly Hose (Urethane) 2 - 20086 - Air Line Assembly 4 - 21838 - Tee 1/4"PTC - 1/4"PTC 4 - 21837 - Elbow 1/8"MNPT - 1/4"PTC 2 - 21830 - Elbow 1/4"MNPT - 1/4"PTC 4 - 21840 - Union 1/4"PTC x 1/4"PTC 2 - 21739 - Tee, Single Barb for .170 ID 2 - 21848 - Elbow 1/8"MNPT x 1/4"PTC

Fittings		P/N	Description
	Branch Tee	21841	1/8"MNPT x 1/4"PTC
	Female Straight	21810 21869	1/4"PTC-1/4"FNPT 1/4"FNPT-1/4"PTC
	Male Elbow	21815 21830 21837 21848	1/8"MNPT x 4AN 1/4"MNPT x 1/4"PTC 1/8"MNPT x 1/4"PTC 1/8"MNPT x 1/4"PTC
	Male Elbow (10-pack)	52837	1/8"MNPT x 1/4"PTC
	Male Straight	21804 21807 21813 21839	1/8"MNPT x 4AN M 1/4"MNPT x 1/4"PTC 1/4"MNPT x 4AN 1/4"PTC x 1/8"MNPT
	Tee Union	21838	1/4"PTC x 1/4"PTC
	Tee Union (10-pack)	52838	1/4"PTC x 1/4"PTC
	Y-Fitting	21842	Y 1/4"PTC

PTC - Push-to-Connect Fitting
NPT - National Pipe Thread Fitting
AN - (Army-Navy) Flare-type Compression Fitting

1/4" Air Line	P/N	Description
	20220 20230 20250 20260 20315	Hose, 20ft., Nylon (20946) Hose, 30ft., Nylon (20946) Hose, 50ft., Nylon (20946) Hose, 60ft., Nylon (20946) Hose, 15ft., Urethane
	10530	Hose Cutter

Hose Assemblies	P/N	Description
	20084	Ultimate Plus Nylon Hose Assembly, 8ft.
20086 shown	20086	LoadLifter Hose Assembly, 16ft.

Hose Kits	P/N	Description
	22007	Replacement Hose Kit - Push-on (Air Lift 1000 Series)
	22022	P-30 Hose Kit
	22030	Replacement Hose Kit - Screw-on (Air Lift 1000 Series)

STAINLESS STEEL UPGRADE KITS

Upgrade Any LoadLifter 5000 Series Kit

Ultimate Plus Upgrade Kit	P/N	Description
	52301	Includes stainless steel air lines (2 x 5.5'), roll plates, AN fittings and mounting hardware

Braided Air Line Upgrade Kit*	P/N	Description
	52300	Includes stainless air lines (2 x 5.5') and AN fittings only

* The Braided Air Line Upgrade Kit works for both LoadLifter 5000 & LoadLifter 7500XL.

Kit	Replacement Air Spring
57132	50252
57147	50252
57154	50252
57200/77200	50298
57204/77204	50297
57205	50252
57211	50297
57212	50201
57213	50290
57215/77215	50201
57216	50201
57228	50298
57229	50201
57230	50235
57231	50201
57233	50251
57234	50772
57237	50201
57242	50251
57244	50225
57245	50252
57250	50201
57257	50293
57263	50201
57264	50364
57268	50205
57269	50213
57272	50298
57275/77275	50290
57284	50205
57286	50290
57288/77288	50217
57289/77289	50293
57291	50201
57292	50229
57295/77295	50293
57297	50217
57298	50201
57300/77300	50225
57331	50771
57338/77338	50297
57340	50251
57341/77341	50297
57343	50201
57345	50229
57347	50201
57349	50201
57350	50293
57352/77352	50293
57354/77354	50293
57355/77355	50385
57356/77356	50675
57365/77365	50293
57375/77375	50293
57380	50293
57383/77383	50383

Kit	Replacement Air Spring
57385/77385	50385
57388/77388	50293
57389	50389
57390	50201
57393	50201
57395	50201
57396/77396	50201
57397	50201
57398	50201
57399/77399	50293
57409	50201
57415	50803
57531	50236
57538	50236
57541	50236
57543	50236
57550	50236
57552	50236
57554	50236
57575	50236
57577	50236
57579	50236
57580	50236
57589	50236
57595	50236
57596	50236
57801	50801
57802	50801
57811	50801
57812	50801
59501	50203
59502	50255
59503	50208
59507	50269
59508	50203
59516	50259
59518	50259
59521	50269
59526	50256
59529	50202
59530	50291
59533	50292
59537	50256
59539	50203
59544	50270
59547	50254
59551	50203
59554	50256
59555	50203
59561	50254
59562	50259
59564	50256
59565	50203
59568	50203
59570	50736
60713	60213

Kit	Replacement Air Spring
60724	60724
60728	60728
60732	60232
60733	60733
60740	60740
60742	60742
60743	60743
60744	60744
60747	60747
60748	60748
60750	60750
60754	60754
60755	60755
60756	60756
60769	60269
60774	60774
60776	60776
60779	60779
60783	60783
60786	60786
60789	60789
60793	60793
60797	60797
60798	60798
60804	60804
60807	60807
60808	60808
60809	60809
60810	60810
60811	60811
60812	60812
60814	60814
60815	60315
60816	60816
60817	60317
60818	60318
60818HD	60318HD
60819	60819
60821	60821
60822	60322
60824	60824
60825	60825
60826	60826
60828	60328
60828HD	60328HD
60829	60829
60830	60830
60834	60834
60836	60836
60837	60837
60838	60838
60840	60840
60842	60842
60852	60852
60854	60854
60855	60355

Kit	Replacement Air Spring
60856	60856
60857	60857
60858	60858
60859	60859
60860	60860
60861	60861
60863	60363
60864	60364
60865	60365
61741	61241
61792	61792
80702	80702
81560	81260
88101	84252
88105	84264
88113	84252
88128	84252
88129	84252
88131	84201
88132	84252
88138	84252
88140	84252
88147	84252
88154	84252
88200	84298
88202	84201
88204	84297
88205	84252
88208	84201
88211	84297
88212	84201
88213	84290
88215	84201
88216	84201
88217	84201
88219	84201
88221	84201
88228	84298
88229	84201
88230	84235
88231	84201
88233	84251
88234	84772
88237	84201
88242	84251
88245	84252
88250	84201
88255	84293
88257	84293
88268	84205
88272	84298
88275	84290
88284	84205
88286	84290
88288	84217
88289	84293

Kit	Replacement Air Spring
88291	84201
88295	84293
88297	84217
88298	84201
88299	84264
88331	84771
88338	84297
88339	84297
88340	84251
88341	84297
88344	84251
88347	84201
88349	84201
88350	84293
88352	84293
88355	84385
88365	84293
88375	84293
88377	84299
88380	84293
88383	84383
88385	84385
88388	84293
88389	84389
88390	84201
88393	84201
88395	84201
88396	84201
88397	84201
88398	84201
88399	84293
88408	84297
88412	84298
88413	84298
88414	84299
89200	84412
89204	84301
89215	84301
89275	84301
89288	84325
89289	84301
89295	84301
89338	84301
89365	84301
89385	84585
89388	84301
89396	84301
89398	84301
89399	84301
89412	84412
89413	84412
89231	84301
89355	84585
89350	84301
89375	84301

AIR LIFT PROSERIES REPLACEMENT AIR SPRINGS

Kit	Replacement Air Spring
94200	86005
94204	86005
94212	86005
94215	86005
94216	86005
94228	86005
94229	86005
94231	86005
94234	86004
94268	86004
94272	86005
94275	86005
94288	86004

Kit	Replacement Air Spring
94289	86005
94295	86005
94299	86003
94338	86005
94341	86005
94350	86005
94352	86005
94355	86006
94365	86005
94375	86005
94385	86005
94388	86005
94390	86005

Kit	Replacement Air Spring
94391	86005
94395	86005
94396	86005
94398	86005
94399	86005
93200	86001
93204	86001
93212	86001
93215	86001
93216	86001
93228	86001
93229	86001
93231	86001

Kit	Replacement Air Spring
93234	86002
93263	86001
93268	86002
93272	86001
93275	86001
93288	86002
93289	86001
93295	86001
93338	86001
93341	86001
93343	86001
93350	86001
93352	86001

Kit	Replacement Air Spring
93355	86001
93365	86001
93375	86001
93380	86001
93385	86001
93388	86001
93390	86001
93391	86001
93395	86001
93396	86001
93398	86001
93399	86001

NOTE: Replacement air spring kits include one (1) air spring and the hardware to attach the replacement air spring to the brackets.



FREQUENTLY ASKED QUESTIONS

Q. Will adding air springs increase the weight rating of my vehicle?

A. No. Adding air springs does not change the Weight Rating (GVWR, GCWR, GAWR) of a vehicle. Adding weight over the factory rating is dangerous and voids your Air Lift warranty. Weight ratings take into account tires, bearings, frame, brakes and more. Increasing your suspension's ability to support weight does not increase the weight ratings. Never exceed your vehicle's weight ratings.

Q. Do you have to add a compressor (On-Board Air Compressor System) to your air springs?

A. A compressor isn't required, but it is convenient! An on-board air compressor system allows you to inflate and deflate your air springs on the go. Compressors remove the hassle of pulling over or searching for service stations with air pumps. With our on-board air compressor systems, all adjustments are automatic and can be made with the touch of a button while driving or parked.

Q. Do I have to keep air in the springs all the time, and how much pressure do I need?

A. Yes, you should always maintain the recommended minimum air pressure of 5 PSI, even if your vehicle isn't loaded. This keeps the air springs "in shape" and able to perform without rubbing or wearing. Just check the air pressure periodically, as you do for your tires.

Q. Can air springs raise or lower my vehicle?

A. If you're asking if conventional air springs can take the place of a lift or lowering kit, the answer is NO. If you're asking if air springs will cause a normal ride height vehicle to ride higher, the answer is YES, if you want them to, by adding pressure, but only by an inch or two. If you DO want to lower your vehicle, look into our Air Lift Performance products. If you have a lowered truck and want to add air springs for towing, look at SlamAir™ (page 34). If you have a lifted truck and would like to add the support of air springs, check out Universal Air Spring Spacers (page 37). Call customer support at (800) 248-0892 for more information.

Q. My vehicle rides rough while towing or hauling; will adding air make it ride better?

A. Absolutely! Air springs are engineered to increase ride quality when carrying heavy loads and help fatigued springs ride smoothly. Our air springs greatly improve ride quality when towing or hauling.

Q. Can I use air springs with factory overload springs?

A. Yes, most of Air Lift's applications work with overload springs. Check our application guide for your vehicle.

Q. How long do air springs last?


A. Forever! If they are properly installed and maintained, our air springs can last indefinitely. Just check the pressure regularly, or use an on-board air system to maintain it for you. Air Lift offers a lifetime warranty on all of our air spring kits. See page 5 for details.

Q. What's better, steel helper springs or air helper springs?

A. Air Lift air helper springs are the best solution because they are totally adjustable — steel springs are not. All you have to do is add or remove air to fine-tune your ride for all load situations! That's the reason professional drivers choose air over steel.

Q. How do I get replacement parts if I ever need them?

A. Air Lift sells many parts individually, while our competitors want to sell you pairs of parts. You can get Air Lift replacement parts from your dealer or directly from Air Lift Company. If your dealer cannot help, call Air Lift at 1-800-248-0892.



◀ Check out all the
NEW Air Lift Products

Scan to see all the
latest fitments ▶



Customer Support:

service@airliftcompany.com | 1.800.248.0892 | airliftcompany.com



Product information and photographs are accurate at the time of printing. Kit and part photographs are representative and vary according to vehicle application. Air Lift Company reserves the right to upgrade or modify content as new components become available and is not responsible for misprints.



**MADE IN USA
WITH GLOBAL
COMPONENTS**